



**2009
Ottawa County
Youth Assessment Survey**



2009 OTTAWA COUNTY YOUTH ASSESSMENT SURVEY

HEALTH RISK BEHAVIOR AMONG YOUTH IN OTTAWA COUNTY

ACKNOWLEDGEMENT

Special thanks to the school district superintendents, school principals, administrators, teachers, parents, and students for participating in the 2009 Ottawa County Youth Assessment Survey. Planning and implementation of the Ottawa County Youth Assessment Survey is coordinated by the Youth Assessment Committee whose time and efforts were invaluable in making this project possible. Special thanks to the members of this committee:

- ❖ Joyce Bos, Pathways, MI
- ❖ Leigh Moerdyke, Pathways, MI
- ❖ Marcia Knol, Ottawa County Health Department
- ❖ Shannon Felgner, Ottawa County Health Department
- ❖ Kori White-Bissot, Lakeshore Coordinating Council
- ❖ Liz DeLaLuz Vanderby, Greater Ottawa County United Way
- ❖ Sandra Boven, Ottawa County Health Department
- ❖ Sharon Zajac, Ottawa Area Intermediate School District

This document is available at the following websites:

- ❖ miOttawa.org/Health
- ❖ pathwaysmi.org
- ❖ lakeshoreca.org/DataandReports.aspx
- ❖ OAISD.org
- ❖ ottawaunitedway.org
- ❖ refocusllc.com

Funding for this project was provided by the Ottawa County Health Department, Pathways, MI, Lakeshore Coordinating Council, and the White House Office of National Drug Control Policy and the Substance Abuse and Mental Health Services Administration's Drug Free Communities Support Program.



Data collected from October 2009 through December 2009.

Data analysis and report provided by **ReFocus, L.L.C.**

Published May 2010.

SECTION ONE: INTRODUCTION

The Ottawa County Youth Assessment Survey (YAS) was designed to monitor the prevalence of risk and protective behaviors that affect the health and well-being of youth in Ottawa County. Conducted in Ottawa County schools every two years, the results of the survey are intended to inform and guide the efforts of local agencies and schools as well as monitor the effectiveness of past interventions.

SECTION TWO: METHODOLOGY

School Participation and Survey Administration

The YAS was designed as a self-administered, anonymous, written questionnaire for students in the 8th, 10th, and 12th, grades in Ottawa County public schools. All eligible schools were formally invited to participate by the YAS committee and 11 schools representing 8 public schools, 2 non-public schools, and 1 public academy. Each participating school was allowed to choose a convenient day to administer the survey in a classroom setting under teacher supervision. Schools were asked to administer the survey in such a way that every student had an equal chance of taking the survey, such as in a required course. From October to December 2009, a total of 2319 students voluntarily completed the questionnaire, which is a representative sample of Ottawa County 8th, 10th, and 12th graders with a confidence interval of +/- 2.

Survey Instrument

The core questions of this survey were adapted from the national Youth Risk Behavior Survey (YRBS).ⁱ Additional items in the questionnaire were selected from the validated Communities That Care survey instrument.ⁱⁱ In limited instances, questions were altered by the YAS Committee for more appropriate application to Ottawa County students. A copy of the survey questions is included in the Appendix of this document.

Data Analysis

YAS data was cleaned and edited for response ranges, height/weight plausibility, and logical consistency in accordance with YRBS criteria.ⁱⁱⁱ New variables were also constructed using the same YRBS guidance document. Body Mass Index (BMI) was calculated as $(\text{Weight}[\text{in pounds}] * 703) / (\text{Height}[\text{in inches}]^2)$. BMI categories were determined according to Centers for Disease Control and Prevention BMI-For-Age growth charts for males and females.^{iv}

Weight Status Category	Percentile Range
Underweight	<5 th percentile
Healthy weight	5 th – less than the 85 th percentile
Overweight	85 th percentile – less than 95 th percentile
Obese	95 th percentile and above

Data Presentation

Survey questions were organized into issue areas and response frequencies are presented for 4 different categories: (1) Ottawa County as a whole, (2) gender, (3) grade level and (4) race/ethnicity. The percent of students responding in a certain way is presented along with the number of students to which this percent corresponds. For example, 1676 of 2319 individuals, or 72.27% of respondents, reported that they had never smoked an entire cigarette so the response frequency is reported as 72.27% (1676). Note that where the total number of respondents to a question is smaller than 2319, the data on this question was missing for one or more individuals. Sexual behavior questions were only administered to a subset of consenting schools (n=6) so the overall number of individuals responding (n=1059) to these questions is substantially smaller.

Demographics of Survey Participants	N	%*
Total	2319	100.0%
Gender		
Female	1112	48.0%
Male	1184	51.1%
Grade Level		
8th Grade	654	28.2%
10th Grade	819	35.3%
12th Grade	830	35.8%
Race/Ethnicity		
White	1871	80.7%
Hispanic or Latino	186	8.0%
All Other	262	11.3%
Grades		
A	1108	47.8%
B or C	1017	43.9%
D or F	68	2.9%




*Note: percentages for each category may not equal 100% due to missing or invalid responses.

DATA INTERPRETATION

Several issues are critical to consider when interpreting the results of the Ottawa County YAS:

- Use caution when comparing prevalence when the sample of a demographic group is small or the outcome or behavior is relatively rare. This uncertainty in the measurement of the small group is due to the fact that the margin of error grows as the sample size gets smaller. For example: only 68 of all the surveyed students reported receiving mostly D's and F's in school. Of these students, 1.5% indicated they had Type I diabetes compared to 0.5% of students reporting A's and B's in school. Since the number of students in the D's and F's group is so small, it would be incorrect to assume that the true prevalence of Type I diabetes among students reporting D's and F's is 3 times higher than the prevalence of Type I diabetes among students reporting mostly A's and B's. Instead it would be more reasonable to assume that the true prevalence of Type I diabetes among both groups is appropriately equal if one accounts for the margin of error within both estimates.
- The sample size for the YAS was large so the survey results should be reasonably representative of the 8th, 10th, and 12th grade student population in Ottawa County. However, school districts that completed the YAS did so voluntarily and were not randomly sampled.
- The Ottawa County YAS sampled 8th, 10th, and 12th graders, whereas the equivalent questions from the national and state YRBS were administered to 9th, 10th, 11th, and 12th graders. Therefore, YAS data cannot be directly compared to state and national YRBS data.
- When comparing data from 2005 and 2007 to 2009, be aware that the students surveyed were not of the identical districts from year to year. Each year every effort was made to encourage a variety of districts to participate, the survey conducted in 2009 provided a better geographic representation of the entire county than previous administrations.
- This document, along with the frequency tables, is available online at miOttawa.org/Health, OAISD.org, pathwaysmi.org, or ottawaunitedway.org

SECTION THREE: YAS SURVEY HIGHLIGHTS

 Moving in the Right Direction	2009	2007	2005
Rode in a vehicle driven by someone who had been drinking alcohol during the past 30 days	17.5%	23.3%	24.1%
Did not go to school because of concerns about safety at school or on the way to/from school in past 30 days	3.2%	3.7%	5.7%
Threatened or injured with a weapon such as a gun, knife, or club during the past 12 months.	8.8%	9.7%	12.1%
Hit, slapped, or physically hurt on purpose by boyfriend or girlfriend in last 12 months.	8.4%	6.3%	6.6%
Attempted suicide one or more times in the last 12 months	5.8%	6.2%	8%
Ever drank alcohol (other than a few sips)	41.3%	48.4%	48%
Think over 60% of kids in my grade drank alcohol in the last 30 days.	23.3%	30.3%	33.7%
Ever tried prescription drugs only for the experience or feeling it caused	10.9%	13.5%	n/a
Ever used inhalants	10.5%	13.5%	13.6%
Offered, sold, or given an illegal drug by someone in the last 12 months	23.8%	27.3%	30.2%
Physically active for 60+ minutes per day on five or more of the past seven days	50.8%	39%	38.2%
 Moving in the Wrong Direction	2009	2007	2005
Ever belonged to an organized gang	5.8%	4.8%	n/a
Ever tried smokeless tobacco	11.7%	9.9%	8.5%
Perceived no or slight risk to having one or two drinks nearly every day.	30.4%	28.2%	23.6%
Perceived no or slight risk to smoking marijuana regularly	19.1%	16.6%	11.6%
Used over the counter drugs only for the experience or feeling it caused one or more times in the past 30 days.	8.2%	6.9%	n/a
Vomited or took laxatives to lose weight or keep from gaining weight in the past 30 days.	1.3%	0.4%	n/a
Ever had vaginal or oral sex	39.6%	36.1%	n/a
Students with pre-diabetes/ metabolic syndrome	1.0%	0.3%	n/a
 Take Note	2009	2007	2005
Had one or more drinks of alcohol on one or more of the past 30 days	25.2%	29.7%	27.3%
Ever tried methamphetamines	2.4%	3.6%	3.1%
Ever tried ecstasy	3.9%	5.2%	4.5%
People in my family often insult or yell at each other	26.9%	41%	36.1%
Ever tried cocaine	4.9%	6.4%	4.9%
Trying to lose weight	36.7%	45%	42.5%

New to YAS in 2009	2009	2007	2005
Asked to join an organized gang in past 12 months	7.2%	n/a	n/a
Threatened by members of an organized gang in past 12 months	5.0%	n/a	n/a
Had sexual intercourse when you didn't want to in past 12 months	5.4%	n/a	n/a
If yes, threatened or made to feel guilty	32.8%	n/a	n/a
If yes, under the influence of alcohol or other drugs	34.4%	n/a	n/a
If yes, other reason	48%	n/a	n/a
Would help someone whose boyfriend or girlfriend was pushing, yelling, or hitting them.	87.3%	n/a	n/a
Want help from someone if boyfriend or girlfriend was pushing, yelling, or hitting you.	72.9%	n/a	n/a
Used prescription sedative or tranquilizers such as Valium, Xanax, or Restoril only for the experience or feeling it caused one or more times during the past 30 days.	3.1%	n/a	n/a
Used prescription pain relievers such as Darvocet, Percocet, or Vicodin only for the experience or feeling it caused one or more times during the past 30 days.	5.5%	n/a	n/a
Used prescription stimulants such as Ritalin, Adderal, or Fastin only for the experience or feeling it caused one or more times during the past 30 days.	5.4%	n/a	n/a
Used an unknown prescription drug only for the experience or feeling it caused one or more times during the past 30 days.	2.6%	n/a	n/a
Physically harmed on purpose by your parents during the past 12 months	4%	n/a	n/a
Participated in a volunteer opportunity in the past 12 months	52.7%	n/a	n/a
Participated in a school or community club in the past 12 months	31.7%	n/a	n/a
Participated in a team sport in the past 12 months	52.7%	n/a	n/a
Participated in a non-team sport in the past 12 months	23.4%	n/a	n/a
Participated in art/music/ theater/dance in the past 12 months	36.1%	n/a	n/a
Held a part-time job in the past 12 months	32%	n/a	n/a
Participated in a church group in the past 12 months	46.3%	n/a	n/a
Participated in leadership activities in the past 12 months	17.1%	n/a	n/a
Did not participate in a community activity in the past 12 months	9.8%	n/a	n/a

SECTION FOUR: TABLES

List of Tables:

Page 8	Safety	Page 20	Other Drug Use
Page 9	Violence Related Behaviors	Page 21	Physical Activity
Page 11	Depression & Suicide	Page 21	Nutrition
Page 11	Living Arrangements	Page 21	Asthma & Diabetes
Page 12	Tobacco Use	Page 22	Body Weight
Page 14	Alcohol Use	Page 23	School Experiences
Page 16	Marijuana Use	Page 24	Family Experiences
Page 17	Over the Counter Drug Use	Page 25	Community Experiences
Page 28	Prescription Drug Use	Page 26	Sexual Behavior

The leftmost column begins by listing the behavior within a category. The next three columns display the 2009, 2007, and 2005 affirmative response data for all students. Continuing to the right, the demographic variables include only 2009 data. The percentage listed under the demographic variables is the percent of total respondents within that demographic variable that responded as the behavior listing indicates. For example, for the first safety question/statement, in 2009 16.4% of female respondents (182 of 1,111 female respondents) indicated that they had ridden in a vehicle driven by someone who had been drinking alcohol during the past 30 days. Some 2007 and 2005 data by demographic variable is available in the 2007 and 2005 Youth Assessment Surveys at miOttawa.org/Health.

Safety	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Rode in a vehicle driven by someone who had been drinking alcohol during the past 30 days	17.5% (403)	23.3% (364)	24.1% (471)	16.4% (182)	18.3% (216)	15.0% (98)	17.7% (144)	19.1% (158)	25.3% (47)	16.2% (303)	21.4% (52)
Drove a vehicle after drinking alcohol during the past 30 days (among those who drive)	10.5% (129)	12.7% (29)	8.5% (166)	8.0% (44)	12.7% (84)	12.9% (8)	7.8% (33)	12.0% (88)	18.8% (15)	8.7% (91)	22.1% (23)

Violence Related Behaviors	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Carried a weapon such as a gun, knife, or club in past 30 days	14.7% (339)	15% (235)	16.5% (320)	5.1% (57)	23.6% (278)	12.1% (79)	16.4% (134)	14.9% (123)	14.5% (27)	14.3% (267)	17.4% (45)
It would be very easy or sort of easy to obtain a handgun	24.7% (570)	24.4% (378)	25.5% (496)	16.1% (179)	32.6% (384)	13.6% (88)	24.8% (202)	33.3% (276)	27.4% (51)	23.3% (434)	33.2% (85)
Did not go to school because of concerns about safety at school or on the way to/from school in past 30 days	3.2% (74)	3.7% (58)	5.7% (111)	2.9% (32)	3.5% (41)	2.5% (16)	3.3% (27)	3.6% (30)	5.9% (11)	23.5% (44)	7.4% (19)
Threatened or injured with a weapon such as a gun, knife, or club during the past 12 months	8.8% (205)	9.7% (152)	12.1% (236)	5.0% (56)	12.5% (148)	8.3% (54)	9.2% (75)	9.0% (75)	16.2% (30)	7.5% (140)	13.4% (35)
Property such as car, clothing, or books stolen or deliberately damaged in past 12 months	28.3% (656)	28.2% (442)	34.7% (679)	25.8% (287)	30.7% (363)	30.6% (200)	24.9% (204)	30.0% (248)	34.2% (63)	26.7% (499)	35.9% (94)
In a physical fight during the past 12 months	27.5% (634)	29.5% (462)	30.9% (603)	16.0% (177)	38.1% (449)	28.6% (186)	28.7% (234)	25.1% (207)	36.6% (67)	25.1% (468)	38.2% (99)
Ever belonged to an organized gang	5.8% (135)	4.8% (75)	n/a	2.2% (25)	9.0% (106)	4.7% (31)	6.9% (56)	5.3% (44)	16.1% (30)	3.9% (73)	12.2% (32)
Asked to join an organized gang in past 12 months	7.2% (167)	n/a	n/a	4.1% (46)	10.2% (120)	6.7% (44)	8.8% (72)	6.0% (50)	20.7% (38)	4.6% (86)	16.5% (43)
Threatened by members of an organized gang in past 12 months	5.0% (115)	n/a	n/a	2.4% (27)	7.4% (87)	3.4% (22)	5.7% (46)	5.7% (47)	14.6% (27)	3.7% (69)	7.3% (19)
Had sexual intercourse when you didn't want to in past 12 months	5.4% (125)	n/a	n/a	6.1% (68)	4.6% (54)	2.3% (15)	5.4% (44)	7.5% (62)	10.8% (20)	4.5% (85)	7.6% (20)
If yes, physically forced to have sex	10.4% (13)	n/a	n/a	7.4% (5)	14.8% (8)	20% (3)	11.4% (5)	8.1% (5)	20% (4)	7.1% (6)	15% (3)
If yes, threatened or made to feel guilty	32.8% (41)	n/a	n/a	48.5% (33)	14.8% (8)	13.3% (2)	16.4% (16)	35.5% (22)	35% (7)	35.3% (30)	20% (4)
If yes, under the influence of alcohol or other drugs	34.4% (43)	n/a	n/a	33.8% (23)	37% (20)	0% (0)	38.6% (17)	40.3% (25)	30% (6)	36.5% (31)	30% (6)
If yes, other reason	48% (60)	n/a	n/a	39.7% (27)	55.6% (30)	80% (12)	45.5% (20)	40.3% (25)	45% (9)	45.9% (39)	60% (12)

Violence Related Behaviors (continued)	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Hit, slapped, or physically hurt on purpose by boyfriend or girlfriend in last 12 months	8.4% (121)	6.3% (98)	6.6% (127)	4.0% (45)	6.3% (74)	2.3% (15)	5.1% (42)	7.3% (61)	10.2% (19)	4.6% (87)	5.7% (15)
During the past 12 months has your boyfriend or girlfriend ever threatened you	2.6% (36)	n/a	n/a	1.9% (21)	1.2% (14)	0.2% (1)	2.1% (17)	2% (17)	3.2% (6)	1.2% (23)	2.7% (7)
During the past 12 months has your boyfriend or girlfriend ever called you a degrading name	10% (138)	n/a	n/a	13% (85)	7.2% (50)	3.5% (11)	10.2% (49)	13.5% (75)	12.1% (17)	9.8% (104)	10.7% (17)
During the past 12 months has your boyfriend or girlfriend ever isolated you from family or friends	5.8% (79)	n/a	n/a	5.5% (36)	5.9% (41)	1.6% (5)	5.8% (28)	7.8% (43)	10.7% (15)	4.9% (52)	7.5% (12)
During the past 12 months has your boyfriend or girlfriend ever tried to control when you saw your friends	11.3% (153)	n/a	n/a	7% (78)	6% (71)	3.2% (21)	6.3% (52)	9% (75)	7.5% (14)	6.5% (121)	6.9% (18)
Would find help if someone's boyfriend or girlfriend was pushing, yelling or hitting them	87.3% (2008)	n/a	n/a	94.7% (1046)	80.4% (942)	89.2% (577)	84.5% (688)	88.7% (730)	83.2% (185)	88.5% (1643)	81.5% (211)
Want help from someone if boyfriend or girlfriend was pushing, yelling, or hitting you	72.9% (1670)	n/a	n/a	90.2% (995)	56.4% (658)	83.0% (534)	69.7% (567)	68.4% (560)	67.2% (123)	74.2% (1372)	67.0% (175)

Depression & Suicide	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever felt so sad or hopeless almost every day for two weeks that I stopped doing usual activities (during last 12 months)	20.1% (465)	20.5% (317)	22.9% (446)	24.2% (269)	16.3% (193)	14.7% (96)	21.7% (178)	22.5% (186)	37.1% (69)	17.6% (329)	25.6% (67)
Attempted suicide one or more times in the last 12 months	5.8% (133)	6.2% (96)	8% (155)	7.2% (80)	4.5% (53)	3.5% (23)	7.2% (59)	5.9% (49)	13.4% (25)	4.4% (82)	10.0% (26)

Living Arrangements	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
During the last 12 months, did you ever find yourself without a place to stay?	4.97% (115)	n/a	n/a	3.6% (40)	6.2% (73)	3.1% (20)	5.0% (41)	6.3% (52)	8.1% (21)	3.6% (68)	10.0% (26)
If yes, because you ran away, or were “kicked out” of home*	54.78% (63)	n/a	n/a	76.9% (30)	44.4% (32)	50.0% (10)	59.0% (23)	57.7% (30)	71.4% (15)	56.1% (37)	42.3% (11)
If yes, because your family was without a place to stay	8.7% (10)	n/a	n/a	0.0% (0)	13.9% (10)	10.0% (2)	10.3% (4)	7.7% (4)	0.0% (0)	6.1% (4)	23.1% (6)

Tobacco Use	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever smoked a whole cigarette	27.4% (633)	28.6% (436)	31.7% (612)	24.0% (266)	30.4% (358)	6.6% (43)	28.9% (236)	42.0% (347)	45.7% (84)	24.5% (458)	35.1% (91)
Smoked a whole cigarette for the first time before age 13 years (among those who ever smoked)	31.3% (198)	35.8% (156)	40.4% (247)	24.8% (66)	36.3% (130)	65.1% (28)	40.3% (95)	21.0% (73)	46.4% (39)	26.9% (123)	39.6% (36)
Smoked a cigarette on one or more of the past 30 days	16.9% (390)	18.3% (283)	18.6% (363)	14.4% (159)	19.0% (224)	3.5% (23)	16.1% (131)	28.0% (231)	22.4% (41)	15.7% (293)	21.8% (56)
It would be very easy or sort of easy to obtain cigarettes	58.3% (1345)	58% (889)	63.9% (1243)	53.6% (594)	62.5% (736)	26.3% (170)	60.0% (490)	81.3% (673)	68.6% (127)	56.3% (1050)	64.9% (168)
Smokers who tried to quit during the last 12 months	50.4% (254)	42.5% (157)	47.3% (232)	59.3% (127)	43.6% (123)	59.5% (25)	53.3% (98)	47.1% (128)	57.1% (36)	48.5% (178)	54.1% (40)
Ever tried smokeless tobacco	11.7% (272)	9.9% (154)	8.5% (164)	4.9% (55)	17.9% (212)	1.5% (10)	11.1% (91)	20.0% (166)	10.2% (19)	11.9% (222)	11.8% (31)
Tried smokeless tobacco for the first time before age 13 years (among those who ever tried)	18.0% (49)	20.8% (32)	28.7% (47)	14.5% (8)	18.9% (40)	40.0% (4)	27.5% (25)	12.0% (20)	26.3% (5)	15.8% (35)	29.0% (9)
Used smokeless tobacco on one or more of the past 30 days	5.8% (133)	5.6% (88)	5.1% (98)	1.8% (20)	9.3% (109)	1.1% (7)	5.3% (43)	9.7% (80)	6.5% (12)	5.8% (108)	5.0% (13)
Smoked cigars, cigarillos, or little cigars on one or more of the past 30 days	12.7% (295)	12.9% (202)	13.9% (269)	8.7% (96)	16.6% (196)	1.7% (11)	11.0% (89)	23.0% (190)	21.5% (40)	11.4% (212)	16.6% (43)
Perceived no or slight risk to smoking one or more packs of cigarettes per day	10.4% (238)	8.6% (132)	7.2% (140)	7.8% (86)	13.0% (152)	8.3% (53)	13.9% (112)	8.8% (73)	15.4% (28)	9.1% (169)	16.0% (41)
Among respondents below age 18, Parents feel it would not be wrong or only a little bit wrong for me to smoke cigarettes	8.9% (179)	11.6% (178)	n/a	6.5% (67)	10.2% (106)	3.4% (22)	8.1% (66)	14.7% (90)	9.6% (15)	7.7% (131)	13.7% (33)

Among respondents under the age of 18 years, in the past year, have you ever:	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Bought cigarettes from a grocery store?	3.0% (62)	4.9% (76)	n/a	1.5% (15)	4.4% (45)	9.2% (6)	2.9% (23)	5.2% (32)	5.1% (8)	2.6% (44)	4.2% (10)
Bought cigarettes from a gas station, convenience store, or discount store?	5.7% (119)	8.4% (130)	n/a	3.2% (33)	7.9% (82)	0.9% (6)	5.4% (44)	10.8% (66)	5.1% (8)	5.6% (95)	6.7% (16)
Given money to a legal age (18+) person to buy cigarettes for you?	12.2% (255)	14.0% (216)	n/a	9.9% (102)	14.3% (148)	2.6% (17)	13.6% (110)	20.4% (125)	19.1% (30)	11.3% (191)	14.2% (34)
Stolen cigarettes from a store?	2.1% (44)	2.5% (38)	n/a	0.6% (7)	3.6% (37)	0.6% (4)	3.9% (31)	1.5% (9)	3.2% (5)	1.8% (30)	3.8% (9)
Taken cigarettes from your home or a friend's home without permission?	6.8% (141)	8.3% (128)	n/a	6.3% (65)	7.2% (74)	3.7% (24)	8.3% (67)	7.8% (48)	11.5% (18)	5.8% (98)	10.5% (25)
Been given cigarettes by your parents or a friend's parents?	6.2% (128)	7.3% (113)	n/a	5.3% (54)	7.0% (72)	1.5% (10)	8.0% (64)	8.5% (52)	9.1% (14)	5.4% (91)	9.7% (23)
Been given cigarettes by an underage friend?	17.0% (354)	19.1% (294)	n/a	16.5% (170)	17.2% (177)	5.1% (33)	20.4% (165)	25.0% (153)	25.6% (40)	15.6% (263)	21.4% (51)
Been given cigarettes by a legal aged (18+ person)?	16.1% (336)	19.1% (294)	n/a	14.3% (1031)	17.6% (182)	3.4% (22)	17.7% (143)	27.4% (168)	25.0% (156)	14.6% (247)	21.1% (50)

Alcohol Use	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever drank alcohol (other than a few sips)	41.3% (949)	48.4% (736)	48% (926)	40.0% (442)	42.7% (500)	16.3% (105)	41.6% (337)	60.5% (500)	57.8% (107)	38.4% (712)	50.4% (130)
First drink of alcohol other than a few sips before age 13 (among those who have ever tried alcohol)	27.1% (257)	28% (206)	32.5% (301)	22.4% (99)	31.2% (156)	70.5% (74)	31.8% (107)	14.8% (74)	38.3% (41)	22.9% (163)	40.8% (53)
Had one or more drinks of alcohol on one or more of the past 30 days	25.2% (583)	29.7% (458)	27.3% (528)	23.7% (263)	26.7% (315)	8.9% (58)	24.6% (201)	38.5% (319)	36.6% (68)	23.7% (443)	27.8% (72)
Had five or more drinks of alcohol in a row (w/in a couple of hours) on one or more of the past 30 days	14.4% (332)	19.5% (300)	16.6% (322)	12.3% (137)	16.3% (192)	2.9% (19)	14.8% (121)	22.9% (190)	24.3% (45)	12.8% (240)	18.1% (47)
Would be very easy or sort of easy to get beer, wine, or hard liquor	58.9% (1360)	62.2% (956)	60.1% (1164)	58.8% (653)	58.8% (692)	38.5% (250)	61.6% (502)	72% (597)	64.3% (119)	57.7% (1077)	63.8% (164)
Perceived no or slight risk to having one or two drinks nearly every day	30.4% (698)	28.2% (437)	23.6% (458)	22.3% (246)	37.8% (441)	26% (166)	34.3% (278)	29.8% (247)	37.1% (58)	30.2% (559)	31.5% (81)
Perceived no or slight risk to having five or more drinks once or twice each weekend	22% (503)	23.4% (362)	17.4% (338)	17.7% (195)	25.9% (302)	16.8% (107)	23.3% (189)	24.4% (202)	27.2% (50)	21% (389)	24.9% (64)
Parents feel it would not be wrong or only a little bit wrong for me to drink beer, wine, or hard liquor	13.1% (297)	13.1% (202)	n/a	11.3% (124)	14.8% (170)	6.3% (40)	12.8% (103)	18.8% (154)	14.4% (26)	11.7% (215)	22% (56)
Think over 60% of kids in my grade drank alcohol in the last 30 days	23.3% (510)	30.3% (435)	33.7% (654)	26.5% (283)	20% (220)	3.5% (21)	22.5% (172)	38.8% (313)	38.6% (66)	21.5% (383)	26% (61)
Think more than 60% of friends drank alcohol in the last 30 days	15.8% (352)	20.2% (298)	22.2% (430)	15.1% (164)	16.6% (186)	2.8% (17)	14.3% (113)	27% (219)	22.7% (40)	14.5% (261)	20.7% (51)

In the past year, have you ever:	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Bought alcohol from a grocery store?	2.2% (50)	2.3% (36)	n/a	0.6% (7)	3.5% (41)	0.5% (3)	2.0% (16)	3.6% (30)	6.5% (12)	1.4% (26)	4.6% (12)
Bought alcohol from a restaurant or bar?	2.3% (53)	2.4% (37)	n/a	1.4% (15)	3.2% (38)	0.3% (2)	1.6% (13)	4.6% (38)	4.3% (8)	1.6% (30)	5.8% (15)
Give money to a legal age (21+) person to buy alcohol for you?	15.4% (355)	18.6% (286)	n/a	14.2% (157)	16.3% (192)	2% (13)	12.7% (103)	28.3% (235)	27.6% (51)	13.4% (250)	20.8% (54)
Stolen alcohol from a store?	3.1% (70)	3.5% (54)	n/a	2.1% (23)	4% (47)	0.5% (3)	4.7% (38)	3.4% (28)	6.1% (11)	2.2% (40)	7.3% (19)
Taken alcohol from your home or a friend's home without permission?	14% (322)	15.4% (237)	n/a	13.1% (145)	14.8% (174)	4.3% (28)	15.6% (127)	19.5% (162)	21.1% (39)	12.9% (240)	16.6% (43)
Been given alcohol by your parents or a friend's parents?	15.9% (367)	19.1% (294)	n/a	18.8% (208)	13.3% (156)	5.5% (36)	17.1% (139)	22.9% (189)	22.4% (41)	14.8% (275)	19.7% (51)
Been given alcohol by an underage friend?	21.1% (486)	26.5% (407)	n/a	22.6% (250)	19.4% (228)	5.8% (38)	22.7% (184)	31.2% (258)	30.4% (56)	19.3% (360)	27% (70)
Been given alcohol by a legal aged (21+) person?	24.6% (567)	27.9% (429)	n/a	25.4% (281)	23.9% (280)	6.2% (40)	24% (194)	39.7% (328)	37.3% (69)	22.4% (416)	31.7% (82)
Attended a party where alcohol was available?	36.7% (847)	43% (659)	n/a	38.4% (425)	35.1% (413)	18.4% (119)	33.3% (270)	54.5% (452)	53.3% (98)	34.4% (641)	41.7% (108)

Marijuana Use	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever tried marijuana	22.2% (513)	25% (389)	23.1% (448)	18.7% (208)	25.4% (300)	3.2% (21)	22.9% (187)	36% (299)	47.3% (88)	18.3% (342)	32% (83)
Tried marijuana for the first time before age 13 (among those who ever tried)	23.4% (120)	27.5% (107)	24.8% (111)	15.4% (32)	29.3% (88)	61.9% (13)	35.3% (66)	13% (39)	35.2% (31)	18.7% (64)	30.1% (25)
Used marijuana one or more times during the past 30 days	13.5% (312)	14.4% (224)	12.3% (242)	10.3% (115)	16.4% (194)	1.8% (12)	13.8% (113)	22.3% (185)	26.9% (50)	11.1% (207)	21% (55)
Would be very easy or sort of easy to obtain marijuana	35.2% (809)	35.7% (553)	36.8% (716)	31% (343)	39.1% (458)	10.3% (67)	36.5% (296)	53.1% (438)	59% (108)	31.5% (587)	45.1% (114)
Perceived no or slight risk to smoking marijuana once or twice	52.12% (1192)	56.8% (884)	46.3% (897)	48% (534)	54.5% (645)	28.9% (189)	52.3% (428)	68% (564)	58.1% (108)	50.3% (942)	54.2% (142)
Perceived no or slight risk to smoking marijuana regularly	19.1% (435)	16.6% (258)	11.6% (225)	13.1% (146)	24% (284)	8.3% (54)	19.3% (158)	26.1% (217)	34.4% (64)	16.4% (306)	24.8% (65)
Think more than 60% of kids in my grade used marijuana in the last 30 days	15.5% (339)	16.8% (240)	14.8% (288)	15.6% (173)	13.7% (162)	0.9% (6)	16.4% (134)	23.5% (195)	31.7% (59)	12% (225)	21% (55)
Think more than 60% of friends used marijuana in the last 30 days	10.2% (225)	11.1% (164)	9.4% (182)	8.2% (91)	11.1% (132)	1.8% (12)	10.3% (84)	15.4% (128)	21.5% (40)	7.9% (147)	14.5% (38)
Parents feel it would not be wrong or only a little bit wrong for me to smoke marijuana	7.5% (169)	6.4% (98)	n/a	4.8% (53)	9.7% (115)	1.5% (10)	7.7% (63)	11.3% (94)	11.8% (22)	6.2% (116)	11.8% (31)

Over the Counter Drug Use	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever tried over the counter drugs only for the experience or feeling it caused	11.8% (272)	12.2% (188)	n/a	11.5% (127)	12% (141)	5.7% (37)	12.1% (99)	15.7% (130)	17.9% (33)	10.1% (188)	19.8% (51)
Tried over the counter drugs only for the experience or feeling it caused before age of 13 (among those who ever tried)	26.1% (71)	23.4% (44)	n/a	22.8% (29)	29.8% (42)	59.5% (22)	29.3% (29)	13.8% (18)	36.4% (12)	26.1% (49)	19.6% (10)
Used over the counter drugs only for the experience or feeling it caused one or more times during the past 30 days	8.2% (191)	6.9% (106)	n/a	8.1% (90)	8.1% (96)	4.4% (29)	8.9% (73)	10.4% (86)	12.9% (24)	6.8% (128)	14.9% (39)
Perceived no or slight risk to occasionally using over the counter drugs only for the experience or feeling that they cause	12.9% (292)	26.3% (408)	n/a	9% (99)	16.4% (189)	12.2% (77)	15% (121)	11.1% (91)	15.9% (29)	11.4% (211)	21.1% (52)

In the past year, have you ever (only for the experience or feeling it caused):	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Taken over the counter drugs from your home?	9.3% (215)	15.4% (235)	n/a	9.7% (107)	8.9% (104)	5.5% (36)	9.7% (79)	11.6% (96)	16.1% (30)	8.2% (153)	12.5% (32)
Taken over the counter drugs from your grandparents?	2.2% (51)	5.5% (85)	n/a	1.3% (14)	3.1% (36)	1.4% (9)	2.7% (22)	2.4% (20)	3.6% (6)	1.9% (36)	3.5% (9)
Taken over the counter drugs from a friend?	6.8% (157)	9.1% (140)	n/a	6.8% (75)	6.7% (79)	2.25% (14)	7.5% (61)	9.5% (75)	11.3% (21)	5.7% (106)	11.7% (30)
Taken over the counter drugs from the home of a friend?	3.8% (88)	5.7% (88)	n/a	3.4% (38)	4% (47)	1.7% (11)	4.2% (34)	5% (41)	9.1% (17)	3% (56)	5.8% (15)
Bought over the counter drugs from a friend/peer?	3.5% (80)	3.1% (48)	n/a	2.3% (25)	4.6% (54)	0.5% (3)	4.1% (33)	5.1% (42)	5.4% (10)	2.8% (52)	7% (18)
Bought over the counter drugs from a store?	3.9% (89)	8.1% (124)	n/a	3.8% (42)	3.9% (46)	2% (13)	4.6% (37)	4.7% (39)	4.8% (9)	3.2% (59)	8.2% (21)
Stolen over the counter drugs from the store?	1.4% (33)	2.2% (34)	n/a	0.7% (8)	2.1% (25)	0.2% (1)	2.2% (18)	1.7% (14)	3.8% (7)	0.9% (16)	3.9% (10)
Attended a party where over the counter drugs were available?	8.3% (191)	10.7% (164)	n/a	8.7% (96)	7.9% (93)	1.7% (11)	9.1% (74)	12.5% (103)	15.6% (29)	6.9% (128)	13.2% (34)

Prescription Drug Use	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever tried prescription drugs only for the experience or feeling it caused	10.9% (251)	13.5% (209)	n/a	9.6% (106)	12% (141)	3.6% (23)	11.2% (91)	15.7% (130)	18.4% (34)	9.3% (173)	17.2% (44)
Tried prescription drugs only for the experience or feeling it caused before age 13 (among those who ever tried)	25.1% (63)	19.6% (41)	n/a	20.8% (22)	28.4% (40)	73.9% (17)	31.9% (29)	13.1% (17)	35.3% (12)	24.3% (42)	20.5% (9)
Used prescription drugs only for the experience or feeling it caused one or more times during the past 30 days	8.6% (199)	7.6% (118)	n/a	7.6% (84)	9.5% (112)	3.4% (22)	9.1% (74)	12.1% (100)	14.5% (27)	7.3% (135)	14.5% (37)
Used prescription sedative or tranquilizers such as Valium, Xanax, or Restoril only for the experience or feeling it caused one or more times during the past 30 days	3.1% (71)	n/a	n/a	1.6% (18)	4.4% (52)	0.5% (3)	3.3% (27)	4.7% (39)	6.5% (12)	2.6% (48)	4.3% (11)
Used prescription pain relievers such as Darvocet, Percocet, or Vicodin only for the experience or feeling it caused one or more times during the past 30 days	5.5% (127)	n/a	n/a	4.9% (54)	6.0% (71)	1.4% (9)	7.2% (58)	7.0% (58)	7% (13)	4.7% (88)	10.2% (26)
Used prescription stimulants such as Ritalin, Adderal, or Fastin only for the experience or feeling it caused one or more times during the past 30 days	5.4% (123)	n/a	n/a	4% (44)	6.7% (78)	1.1% (7)	5.2% (42)	8.7% (72)	7.6% (14)	4.5% (84)	9.8% (25)
Used an unknown prescription drug only for the experience or feeling it caused one or more times during the past 30 days	2.6% (59)	n/a	n/a	2.3% (25)	2.8% (33)	1.4% (9)	3.5% (28)	2.5% (21)	5.4% (10)	2% (38)	4.3% (11)
Perceived no or slight risk to occasionally using prescription drugs that are not prescribed for you or only for the experience or feeling they cause	11.6% (263)	19.6% (304)	n/a	7.5% (82)	15.2% (176)	11.4% (71)	14.3% (115)	9.1% (75)	14.4% (26)	10.3% (188)	19.4% (49)

In the past year, have you ever (only for the experience or feeling they cause):	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Taken prescription drugs from your home?	6.7% (155)	14.4% (222)	n/a	6.2% (68)	7.3% (86)	3.4% (22)	7.7% (62)	8.2% (68)	13.4% (25)	5.7% (105)	9.8% (25)
Taken prescription drugs from your grandparents?	2.2% (50)	3% (47)	n/a	1% (11)	3.3% (39)	1.1% (7)	3% (24)	2.3% (19)	3.2% (6)	1.8% (34)	3.9% (10)
Taken prescription drugs from a friend?	6.7% (154)	9.5% (147)	n/a	5.7% (63)	7.5% (88)	1.2% (8)	7.2% (58)	10.2% (84)	11.8% (22)	5.5% (103)	11.3% (29)
Taken prescription drugs from the home of a friend?	3.4% (79)	4.4% (68)	n/a	2.6% (29)	4.2% (49)	0.9% (6)	4.1% (33)	4.7% (39)	4.3% (8)	3% (55)	6.3% (16)
Bought prescription drugs from a friend/peer?	4.6% (106)	5.8% (90)	n/a	3.7% (41)	5.4% (63)	0.6% (4)	4.2% (34)	7.9% (65)	6.5% (12)	3.9% (73)	8.2% (21)
Bought prescription drugs from the internet?	1.2% (27)	0.8% (12)	n/a	0.5% (6)	1.8% (21)	0.2% (1)	1.5% (12)	1.7% (14)	1.6% (3)	0.8% (14)	3.9% (10)
Attended a party where prescription drugs were available?	7.4% (170)	11.5% (178)	n/a	7.4% (82)	7.3% (86)	1.5% (10)	7.9% (64)	11.9% (93)	11.3% (21)	6.5% (121)	10.9% (28)

Other Drug Use	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever tried cocaine	4.9% (113)	6.4% (99)	4.9% (94)	2.9% (32)	6.8% (80)	1.9% (12)	4.8% (39)	7.4% (61)	12.9% (24)	3.7% (68)	8.2% (21)
Used cocaine in the last 30 days	2.9% (67)	2.9% (45)	3% (60)	1.4% (15)	4.4% (52)	0.6% (4)	3.6% (29)	4.1% (34)	7% (13)	2.1% (40)	5.4% (14)
Ever used inhalants	10.5% (243)	13.5% (208)	13.6% (264)	9.1% (101)	11.8% (139)	10% (65)	9.7% (79)	11.5% (95)	15.1% (28)	9% (168)	18.3% (47)
Used inhalants in the last 30 days	4.7% (108)	4.4% (68)	7.3% (141)	3.6% (40)	5.6% (66)	5.1% (33)	4.6% (37)	4.5% (37)	10.8% (20)	3.8% (70)	7% (18)
Ever tried heroin	2.0% (47)	1.6% (24)	2.3% (45)	0.7% (8)	3.3% (39)	0.5% (3)	2.5% (20)	2.9% (24)	4.8% (9)	1.4% (26)	4.7% (12)
Ever tried methamphetamine	2.4% (55)	3.6% (55)	3.1% (60)	1.4% (16)	3.2% (38)	0.6% (4)	3% (24)	3.3% (27)	4.8% (9)	1.9% (36)	3.9% (10)
Used methamphetamine in the last 30 days	1.9% (43)	1.7% (27)	2.8% (42)	1.1% (12)	2.6% (30)	0.5% (3)	2.3% (19)	2.5% (21)	4.8% (9)	1.5% (27)	2.7% (7)
Ever tried ecstasy	3.9% (91)	5.2% (80)	4.5% (84)	2.5% (28)	5.4% (63)	0.6% (4)	3.8% (31)	6.8% (56)	7% (13)	3% (55)	8.9% (23)
Ever tried steroids	1.6% (37)	2.2% (35)	4.5% (84)	0.7% (8)	2.5% (29)	0.5% (3)	1.9% (15)	2.3% (19)	4.3% (8)	1.1% (21)	3.1% (8)
Ever used a needle to inject any illegal drug into body	1.7% (39)	1.8% (28)	2.3% (44)	1.1% (12)	2.3% (27)	0.6% (4)	2.3% (19)	1.9% (16)	5.4% (10)	1.1% (21)	3.1% (8)
Ever tried hallucinogens	5.7% (131)	5% (77)	4.2% (90)	3.1% (34)	8.1% (95)	0.9% (6)	5.9% (48)	9.1% (75)	10.8% (20)	4.8% (90)	8.2% (21)
Used hallucinogens in the last 30 days	3% (69)	3% (46)	2.6% (50)	1.5% (17)	4.3% (50)	0.6% (4)	4.1% (33)	3.8% (31)	7.5% (14)	2.3% (42)	5.1% (13)
Offered, sold, or given an illegal drug by someone in the last 12 months	23.8% (547)	27.3% (423)	30.2% (580)	19.6% (217)	27.7% (324)	8.5% (55)	24.3% (197)	35% (289)	38% (70)	20.9% (389)	34.1% (88)
Would be very easy or sort of easy to obtain cocaine, LSD, heroin or methamphetamine	15.3% (351)	n/a	n/a	14.7% (162)	15.6% (182)	5.4% (35)	15.9% (129)	21.9% (181)	29.2% (54)	12.8% (237)	23.3% (60)
Perceived no or slight risk to taking cocaine occasionally	10.4% (238)	11.5% (178)	7% (135)	8.2% (90)	12.5% (146)	9.8% (62)	12% (97)	9.4% (78)	16.9% (31)	9.4% (173)	13.2% (34)
It is clear to my friends that I am committed to living a drug-free life	82.7% (1863)	78.2% (1160)	82% (1572)	85.9% (941)	79.6% (904)	94.7% (595)	82.2% (651)	74% (605)	75.4% (138)	84.3% (1535)	76.3% (190)

Physical Activity	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Physically active for 60+ minutes per day on five or more of the past seven days	50.8% (1154)	39% (598)	38.2% (590)	43.7% (479)	57.5% (662)	59% (371)	50.1% (402)	45.8% (377)	43.7% (80)	52.2% (956)	46.1% (118)

Nutrition	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Eat five or more servings of fruits and vegetables on an average day	33.4% (775)	30.9% (472)	34.2% (536)	32.9% (366)	33.7% (399)	38.4% (251)	31.9% (261)	31.2% (259)	32.3% (60)	33.1% (620)	36.3% (95)
Drink one or more can of pop/soda on an average day	63.9% (1457)	70% (1071)	65.3% (1022)	56.2% (625)	68.7% (813)	66.4% (434)	60.6% (496)	62% (515)	72% (134)	61.7% (1155)	64.1% (168)
Eat candy as a snack or meal one or more times on an average day	55.2% (1256)	59.8% (913)	62.7% (978)	57.3% (637)	51.6% (611)	55.4% (362)	52.6% (431)	55.2% (458)	61.8% (115)	53% (991)	57.3% (150)
Ate fast food four or more times in the last week	8.1% (184)	10.7% (164)	9.3% (145)	6.1% (68)	9.5% (112)	4.1% (27)	7.9% (65)	11% (91)	10.2% (19)	6.9% (130)	13.4% (35)
Eat three or more servings of dairy on an average day	53.8% (1225)	n/a	n/a	48.8% (537)	58.3% (672)	53.7% (340)	54.1% (434)	53.5% (441)	41.8% (76)	56.2% (1032)	45.5% (117)

Asthma & Diabetes	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Students with asthma	14.7% (336)	15.7% (239)	16%	15.6% (174)	13.6% (161)	15.7% (103)	13.2% (108)	14.8% (123)	10.2% (19)	14.4% (270)	17.9% (47)
Students with asthma who have had an asthma attack during the last 12 months	42.3% (142)	43.9% (105)	37.3% (125)	49.4% (86)	34.2% (55)	41.7% (43)	32.4% (35)	51.2% (63)	31.6% (6)	42.6% (115)	44.7% (21)
Students with Type I diabetes	0.6% (13)	1.3% (20)	n/a	0.4% (5)	0.6% (7)	0.5% (3)	0.6% (5)	0.5% (4)	0.5% (1)	0.6% (11)	0.4% (1)
Students with Type II diabetes	0.4% (8)	0.3% (4)	n/a	0.2% (2)	0.5% (6)	0% (0)	0.4% (3)	0.6% (5)	0.5% (1)	0.3% (5)	0.8% (2)
Students with pre-diabetes/ metabolic syndrome	1.0% (22)	0.3% (4)	n/a	0.6% (7)	1.3% (15)	0.9% (6)	0.7% (6)	1.2% (10)	2.7% (5)	0.7% (14)	1.1% (3)

Body Weight	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Describe self as slightly or very overweight	24.1% (560)	29.2% (446)	26.3% (412)	27% (300)	21.6% (256)	24.9% (163)	24.4% (200)	23.1% (192)	34.4% (64)	22.4% (419)	29.4% (77)
Describe self as about the right weight	58% (1344)	54.8% (837)	57.8% (907)	58.9% (655)	56.9% (674)	53.2% (348)	58.4% (478)	61.4% (510)	51.6% (96)	59.5% (1114)	51.1% (134)
Trying to lose weight	36.7% (832)	45% (683)	42.5% (667)	48.7% (533)	25.3% (291)	36.7% (232)	34.8% (278)	38.1% (313)	50.3% (91)	34% (623)	46.1% (118)
Underweight (< 5 th percentile)	2.9% (62)	2.9% (35)	n/a	19.9% (204)	13.7% (154)	30.1% (175)	14% (109)	9.5% (75)	7.2% (12)	17.7% (313)	15.7% (35)
Healthy weight (5 th to 84 th percentile)	74.8% (1573)	74.2% (889)	n/a	67.9% (697)	61.7% (694)	57.7% (335)	67.5% (526)	67.3% (532)	55.7% (93)	66.1% (1171)	61% (136)
Overweight (85 th to 94 th percentile)	13.2% (277)	13.4% (160)	n/a	9.4% (96)	16.3% (183)	9.0% (52)	11.8% (92)	17.0% (134)	25.1% (42)	11.2% (199)	17.0% (38)
Obese (95 th + percentile)	9.1% (192)	9.5% (114)	n/a	2.8% (29)	8.3% (93)	3.3% (19)	6.7% (52)	6.2% (49)	12% (20)	5% (88)	6.3% (14)
Exercised to lose weight or keep from gaining weight in the past 30 days	41.5% (936)	n/a	n/a	52.8% (587)	31.3% (370)	45.3% (296)	40.4% (331)	39.6% (329)	46.2% (86)	40.7% (762)	43.9% (115)
Ate less food, fewer calories, or foods low in fat to lose weight or keep from gaining weight in the past 30 days	27.2% (630)	30.1% (458)	n/a	37.7% (419)	17.2% (204)	22.5% (147)	26.7% (219)	30.8% (256)	32.3% (60)	26.7% (500)	26.7% (70)
Went without eating for 24+ hours to lose weight or keep from gaining weight in the past 30 days	2.5% (57)	2.4% (36)	n/a	4.2% (47)	0.8% (9)	2% (13)	2.8% (23)	2.5% (21)	4.8% (9)	2.1% (40)	3.1% (8)
Took diet pills, powders, or liquids without the advice of a doctor to lose weight or keep from gaining weight in the past 30 days	1.1% (25)	1.2% (18)	n/a	1.0% (11)	1.2% (14)	0.5% (3)	1% (8)	1.7% (14)	1.6% (3)	1% (18)	1.5% (4)
Vomited or took laxatives to lose weight or keep from gaining weight in the past 30 days	1.3% (31)	0.4% (6)	n/a	1.8% (20)	0.8% (10)	1.1% (7)	1.8% (15)	1.1% (9)	2.7% (5)	1.1% (21)	1.9% (5)
Those who worry that they will gain weight if they skip exercising for one day	14.6% (257)	n/a	n/a	17.1% (142)	12.4% (114)	13.7% (71)	15.5% (98)	14.3% (86)	29.5% (38)	12.6% (183)	19.1% (36)

School Experiences	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Grades in last 12 months: Mostly A's	49.5% (1108)	42.5% (613)	n/a	54.5% (606)	41.4% (490)	57.2% (374)	40.2% (329)	48% (398)	22% (41)	52% (972)	36.3% (95)
Grades in last 12 months: Mostly B's or C's	45.3% (1017)	53.5% (771)	n/a	39.4% (438)	48.4% (573)	34.6% (226)	49.8% (408)	45.5% (378)	58.1% (108)	41.5% (777)	50.4% (132)
Grades in last 12 months: Mostly D's or F's	3.0% (68)	4% (58)	n/a	2.3% (26)	3.4% (40)	1.7% (11)	3.9% (32)	2.7% (22)	6.5% (12)	2.2% (42)	5.3% (14)
Seldom or never feel that school work I am assigned is meaningful and important	18.8% (426)	19.5% (296)	21.5% (406)	16.5% (184)	20% (237)	13.1% (86)	19.3% (158)	21.3% (177)	15.6% (29)	18.7% (349)	18.3% (48)
Feel that courses taken in school are slightly or very dull	24.1% (547)	27.4% (417)	27% (509)	23.4% (260)	23.5% (278)	22.3% (146)	27.8% (228)	20.2% (168)	21% (39)	23.5% (439)	26.3% (69)
Feel that things being learned in school are only slightly important or not at all important	17.5% (396)	17% (258)	16.9% (318)	17.2% (191)	16.9% (200)	8.4% (55)	21.1% (173)	19.8% (164)	15.6% (29)	16.6% (311)	21.4% (56)
Seldom or never enjoy being in school	20.1% (458)	21.9% (332)	20.2% (379)	16.5% (183)	22.8% (270)	13.9% (91)	23.1% (189)	20.8% (173)	18.3% (34)	20% (375)	18.7% (49)
Almost always or often hate being in school	30.7% (697)	34.5% (522)	30.2% (568)	27.9% (310)	32.1% (380)	26.6% (714)	32% (262)	30.6% (254)	31.2% (58)	28.9% (541)	37.4% (98)
Seldom or never try to do my best in school	5.9% (133)	5.5% (83)	6.23% (116)	3.7% (41)	7.7% (91)	2.4% (16)	6.2% (51)	7.6% (63)	8.1% (15)	5.2% (97)	8% (21)
Missed one or more whole days of school due to illness in the last four weeks	46.6% (1060)	n/a	n/a	48.0% (529)	45.1% (519)	42.4% (269)	51.2% (411)	45.4% (373)	57.1% (104)	45.2% (831)	49.2% (125)
Skipped or cut one or more days of school in the last four weeks	16.3% (372)	19% (287)	16.0% (301)	14.9% (164)	17.4% (201)	8.4% (53)	15.8% (127)	22.9% (189)	31.1% (57)	14.3% (263)	20.4% (52)
Missed one or more whole days of school for other reasons in the last four weeks	35.5% (805)	n/a	n/a	37.7% (414)	33.2% (381)	24.4% (154)	35.8% (287)	43.7% (358)	39.6% (72)	34.4% (630)	40.6% (103)

Family Experiences	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Physically harmed on purpose by your parents during the past 12 months	4% (92)	n/a	n/a	3.9% (43)	3.9% (46)	3.8% (25)	4.6% (38)	3.4% (28)	8.1% (15)	3.5% (66)	4.2% (11)
Physically harmed on purpose by another adult in your home during the past 12 months	1.5% (34)	n/a	n/a	1.3% (15)	1.6% (19)	1.2% (8)	1.7% (14)	1.4% (12)	1.6% (3)	1.3% (25)	2.3% (6)
People in my family often insult or yell at each other	26.9% (624)	41% (588)	36.1% (640)	30.2% (336)	23.5% (278)	24.6% (161)	30.6% (251)	24.6% (204)	33.3% (62)	25.5% (478)	32.1% (84)
We argue about the same things in my family over and over again	35.3% (819)	45% (665)	n/a	39.9% (444)	30.7% (363)	28.3% (185)	36.3% (297)	39.5% (328)	43% (80)	34.3% (641)	37.4% (98)
People in my family have serious arguments	24.9% (578)	31.3% (457)	n/a	25.4% (282)	24.3% (288)	20.3% (133)	25.5% (209)	27.5% (228)	34.4% (64)	23.4% (438)	29% (76)
My parents ask if I have gotten my homework done	77.8% (1805)	83% (1231)	83.1% (1548)	76.2% (847)	79.3% (939)	86.1% (563)	78.4% (642)	71% (589)	71.5% (133)	80% (1497)	66.8% (175)
My parents want me to call if I am going to be late getting home	87.1% (2020)	91.1% (1354)	91.2% (1694)	91.2% (1014)	83.4% (987)	87% (569)	87.1% (713)	87.5% (726)	76.3% (142)	89.3% (1671)	79% (207)
When not at home, one of my parents knows where I am and who I am with	85.7% (1988)	86.1% (1275)	87.1% (1617)	90.3% (1004)	81.4% (964)	89% (582)	84.4% (691)	84.7% (703)	76.3% (142)	87.8% (1642)	77.9% (204)
The rules in my family are clear	85.7% (1988)	85.8% (1274)	87.5% (1622)	88.4% (983)	83.3% (986)	87.2% (570)	84.6% (693)	86.1% (715)	81.2% (151)	87.4% (1635)	77.1% (202)
My family has clear rules about alcohol and drug abuse	85.2% (1976)	83.4% (1232)	n/a	87.3% (971)	83.3% (986)	89% (582)	85.2% (698)	82.4% (684)	84.4% (157)	86.6% (1621)	75.6% (198)
My parents would know if I did not come home on time.	81.6% (1892)	83.5% (1236)	n/a	84.9% (944)	78.5% (930)	83.8% (548)	82.1% (672)	79.4% (659)	74.2% (138)	83.8% (1568)	71% (186)
My parents give me lots of chances to do fun things with them.	73.6% (1706)	74.9% (1105)	73.2% (1335)	72.9% (811)	74.1% (877)	75.8% (496)	73.1% (599)	72.9% (605)	66.1% (123)	76% (1422)	61.5% (161)
My parents ask me what I think before making family decisions affecting me	64.1% (1487)	64.2% (945)	65% (1183)	63.6% (707)	64.9% (768)	69.1% (452)	62.3% (510)	62.5% (519)	50% (93)	66.6% (1247)	56.1% (147)
If I had a personal problem, I could ask my mom or dad for help	75.6% (1753)	75.9% (1116)	75.6% (1372)	74.7% (831)	76.6% (907)	79.1% (517)	72.5% (594)	76.7% (637)	62.9% (117)	78.9% (1476)	61.1% (160)

Community Experiences	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Participated in a volunteer opportunity in the past 12 months	52.7% (1223)	n/a	n/a	60.9% (677)	45.4% (537)	41.1% (269)	49.9% (409)	64.9% (539)	39.8% (74)	55.3% (1034)	43.9% (115)
Participated in a school or community club in the past 12 months	31.7% (735)	n/a	n/a	37.5% (417)	26.2% (310)	31.5% (206)	28.2% (231)	35.3% (293)	19.4% (36)	33.1% (620)	30.2% (79)
Participated in a team sport in the past 12 months	52.7% (1222)	n/a	n/a	51.7% (575)	53.7% (636)	63% (412)	52.5% (430)	45.2% (375)	29% (54)	56.5% (1058)	42% (110)
Participated in a non-team sport in the past 12 months	23.4% (543)	n/a	n/a	20% (222)	26.7% (316)	24.3% (159)	20.4% (167)	25.7% (213)	11.8% (22)	24.6% (460)	23.3% (61)
Participated in art/music/theater/dance in the past 12 months	36.1% (837)	n/a	n/a	46% (512)	26.9% (318)	40.2% (263)	34.9% (286)	34.1% (283)	22% (41)	37.3% (698)	37.4% (98)
Held a part-time job in the past 12 months	32% (742)	n/a	n/a	29.9% (333)	34% (403)	9.9% (65)	26.5% (217)	54.7% (454)	18.8% (35)	34.4% (643)	24.4% (64)
Participated in a church group in the past 12 months	46.3% (1073)	n/a	n/a	52.2% (581)	40.6% (481)	49.5% (324)	47% (385)	43.3% (359)	26.3% (49)	50% (936)	33.6% (88)
Participated in leadership activities in the past 12 months	17.1% (396)	n/a	n/a	20.2% (225)	14.3% (169)	15.1% (99)	11.7% (96)	23.7% (197)	12.9% (24)	17.4% (325)	17.9% (47)
Did not participate in a community activity in the past 12 months	9.8% (227)	n/a	n/a	8.4% (93)	11.1% (131)	9.5% (62)	11.5% (94)	8.6% (71)	26.9% (50)	7.4% (139)	14.5% (38)
The following statements describe my neighborhood:											
I feel safe in my neighborhood	90.9% (2109)	93.8% (1376)	92.1% (1666)	92% (1023)	90% (1067)	89.8% (587)	90.2% (739)	92.7% (769)	82.8% (154)	92.9% (1739)	82.4% (216)
Crime and/or drug selling	11.8% (273)	15.2% (223)	15.2% (275)	9.6% (107)	13.8% (163)	7.6% (50)	12.6% (103)	14.1% (117)	24.7% (46)	10.2% (190)	14.1% (37)
Fights	10.8% (251)	16.5% (242)	19.1% (345)	8.2% (91)	13.1% (155)	12.1% (79)	10.7% (88)	9.9% (82)	22.6% (42)	8.4% (158)	19.5% (51)
Lots of empty or abandoned buildings	5.2% (120)	6.4% (94)	4.8% (76)	3.1% (35)	7% (83)	4.7% (31)	5.5% (45)	4.9% (41)	9.7% (18)	4.4% (82)	7.6% (20)
Lots of graffiti	3.8% (87)	6.2% (91)	5.3% (95)	2.5% (28)	4.9% (58)	3.1% (20)	4.5% (37)	3.5% (29)	10.8% (20)	2.2% (42)	9.5% (25)

Sexual Behavior	Total Responses			2009 by Gender		2009 by Grade Level			2009 by Race/Ethnicity		
	2009	2007	2005	F	M	8th	10th	12th	Hispanic	White	Other
Ever had vaginal sexual intercourse	30.9% (343)	30.8% (136)	n/a	29.1% (153)	32.7% (188)	2.7% (7)	30.2% (124)	48.7% (208)	52.5% (52)	27.2% (242)	39.8% (49)
Had vaginal sexual intercourse before age 14 (among those who ever had vaginal sexual intercourse)	22.4% (77)	30.9% (42)	n/a	15.7% (24)	27.7% (52)	85.7% (6)	38.7% (48)	10.6% (22)	32.7% (17)	16.5% (40)	40.8% (20)
Had vaginal sexual intercourse before age 14 (among all students)	6.9% (77)	9.5% (42)	n/a	4.6% (24)	9.0% (52)	2.3% (6)	11.7% (48)	5.2% (22)	17.2% (17)	4.5% (40)	16.3% (20)
Ever had oral sex	35.2% (395)	31.2% (138)	n/a	33.3% (177)	36.8% (213)	5.1% (13)	33.6% (141)	54.1% (235)	46.4% (45)	33.3% (299)	40.5% (51)
Had oral sex before age 14 (among those who ever had oral sex)	23.3% (92)	29% (40)	n/a	15.8% (28)	29.6% (63)	100% (13)	33.3% (47)	12.8% (30)	26.7% (12)	20.4% (61)	37.3% (19)
Ever had vaginal or oral sex	39.6% (447)	36.1% (159)	n/a	38.9% (208)	40.2% (234)	6.1% (16)	38.9% (163)	60.1% (262)	57.0% (57)	36.4% (329)	48.4% (61)
Had sexual intercourse with four or more people (among those who have ever had sexual intercourse)	32.1% (110)	32.6% (44)	n/a	29.4% (45)	34% (64)	0% (0)	35.2% (43)	31.6% (65)	41.3% (19)	29% (71)	38.5% (20)
Had sexual intercourse with four or more people (among all students)	10.0% (110)	10% (44)	n/a	8.7% (45)	11.3% (64)	0% (0)	10.7% (43)	15.4% (65)	21.1% (19)	8.1% (71)	15.9% (20)
Had sexual intercourse in the past three months (among those who have ever had sex)	72.2% (267)	73.1% (98)	n/a	77.6% (128)	67.3% (136)	60% (6)	69.4% (93)	74.7% (165)	73.1% (38)	70.6% (185)	78.6% (44)
Drank alcohol or used drugs before last sexual intercourse (among students who reported sex in the last three months)	25.8% (69)	46.7% (35)	n/a	18.8% (24)	31.6% (43)	16.7% (1)	21.5% (20)	28.5% (47)	42.1% (16)	22.7% (42)	25% (11)
Among those who have ever had vaginal sexual intercourse, those that did not use a method to prevent pregnancy the last time they had sex	15.3% (47)	8.14% (11)	n/a	18.0% (24)	13.4% (23)	44.4% (4)	18.3% (21)	12.3% (22)	14.9% (7)	15.1% (32)	16.7% (8)
Did not use a condom during last sexual intercourse (among students who reported sex in the last three months)	43.8% (113)	34.7% (26)	n/a	45.2% (56)	42.7% (56)	33.3%	n/a	n/a	n/a	n/a	n/a

ⁱ <http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

ⁱⁱ <http://ncadi.samhsa.gov/features/ctc/resources.aspx>

ⁱⁱⁱ http://www.cdc.gov/HealthyYouth/yrbs/pdf/2007_National_YRBS_Data_Users_Manual.pdf

^{iv} <http://www.cdc.gov/nccdphp/dnppa/growthcharts/resources/sas.htm>

Ottawa County Youth Assessment Survey

This survey is about health behavior. It has been developed so you can tell us what you do that may affect your health. The information you give will be used to develop better health education.

DO NOT write your name on this survey. The answers you give will be kept private. No one will know what you write. Answer the questions based on what you really do.

Completing the survey is voluntary. Whether or not you answer the questions will not affect your grade in this class. If you are not comfortable answering a question, just leave it blank.

The questions that ask about your background will be used only to describe the types of students completing this survey. The information will not be used to find out your name. No names will ever be reported.

Make sure to read every question. Fill in the ovals completely. When you are finished, follow the instructions of the person giving you the survey.

Thank you very much for your help.

MARKING INSTRUCTIONS

- Use a No. 2 pencil or a blue or black ink pen only.
- Do not use pens with ink that soaks through the paper.
- Make solid marks that fill the response completely.
- Make no stray marks on this form.

CORRECT: ●

INCORRECT: ✓ ✗ ○ ◐

PLEASE DO NOT WRITE IN THIS AREA



[SERIAL]

Demographics

These questions ask for some general information about you. Please mark the response that best describes you.

1. How old are you?

Age	
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9

2. What is your gender?

- ① Female
- ② Male

3. What grade are you in?

- ① 8th grade
- ② 10th grade
- ③ 12th grade

4. How tall are you without your shoes on?

Ft.	In.
0	0 0 0
1	1 1 1
2	2 2 2
3	3 3 3
4	4 4 4
5	5 5 5
6	6 6 6
7	7 7 7
8	8 8 8
9	9 9 9

5. How much do you weigh without your shoes on?

Lbs.		
0	0	0
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9

6. Which one of the following best describes your race/ethnicity?

- ① American Indian or Alaska Native
- ② Asian
- ③ Black or African American
- ④ Hispanic or Latino
- ⑤ Native Hawaiian or Other Pacific Islander
- ⑥ White
- ⑦ Multi-racial

The next two questions ask about safety.

7. During the past 30 days, how many times (if any) did you **ride** in a car or other vehicle **driven by someone who had been drinking alcohol**?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or more times

8. During the past 30 days, how many times (if any) did you **drive** a car or other vehicle **when you had been drinking alcohol**?

- ① I don't drive
- ② 0 times
- ③ 1 time
- ④ 2 or 3 times
- ⑤ 4 or 5 times
- ⑥ 6 or more times

The next 6 questions ask about violence-related behaviors.

9. During the past 30 days, on how many days (if any) did you carry **a weapon** such as a gun, knife, or club?

- ① 0 days
- ② 1 day
- ③ 2 or 3 days
- ④ 4 or 5 days
- ⑤ 6 or more days

10. If you wanted to get **a handgun**, how easy would it be for you to get one?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

11. During the past 30 days, on how many days (if any) did you **not** go to school because you felt unsafe at school or on your way to or from school?

- ① 0 days
- ② 1 day
- ③ 2 or 3 days
- ④ 4 or 5 days
- ⑤ 6 or more days

12. During the past 12 months, how many times (if any) has someone threatened or injured you with **a weapon** such as a gun, knife, or club?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or 7 times
- ⑥ 8 or 9 times
- ⑦ 10 or 11 times
- ⑧ 12 or more times

13. During the past 12 months, how many times (if any) has someone stolen or deliberately damaged your property such as your car, clothing, or books?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or 7 times
- ⑥ 8 or 9 times
- ⑦ 10 or 11 times
- ⑧ 12 or more times

14. During the past 12 months, how many times (if any) were you in a physical fight?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or 7 times
- ⑥ 8 or 9 times
- ⑦ 10 or 11 times
- ⑧ 12 or more times

The next 3 questions refer to gangs. In this survey, the term "gang" refers to an organized gang that has an identity such as a name, symbol or certain colors associated with it. The term "gang" in this survey does not refer to other organized groups such as church groups, sports teams, or clubs (such as Scouts, 4-H or others).

15. If you have ever belonged to an organized gang, how old were you when you **first** joined?

- ① I have never belonged to an organized gang
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

16. During the past 12 months, were you ever asked to join an organized gang?

- ① Yes
- ② No

17. During the past 12 months, were you ever threatened by one or more members of an organized gang?

- ① Yes
- ② No

The next 6 questions ask about abuse in relationships.

18. During the past 12 months, have you had sexual intercourse when you really didn't want to?

- ① Yes (Go to Question 19)
- ② No (Skip the next question and go to 20)

19. If you answered YES, were you: (mark all that apply)

- ① Physically forced
- ② Threatened or made to feel guilty
- ③ Under the influence of alcohol or other drugs
- ④ Other reason

20. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

- ① I did not have a boyfriend or girlfriend during the past 12 months
- ② Yes
- ③ No

21. During the past 12 months, has your boyfriend or girlfriend ever done the following during the relationship: (mark all that apply)

- ① I did not have a boyfriend or girlfriend during the past 12 months
- ② Threatened you
- ③ Called you degrading names
- ④ Isolated you from family or friends
- ⑤ Tried to control when you saw your friends
- ⑥ None of the above happened during the relationship

22. If someone's boyfriend or girlfriend were pushing, yelling, or hitting them, would you find someone to help?

- ① Yes
- ② No

23. If your boyfriend or girlfriend was pushing, yelling, or hitting you, would you want someone to find help?

- ① Yes
- ② No

The next 2 questions ask about sad feelings and attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide, which is taking some action to end their own life.

24. During the past 12 months, did you ever feel so sad or hopeless almost every day for **two weeks or more in a row** that you stopped doing some usual activities?

- ① Yes
- ② No

25. During the past 12 months, how many times (if any) did you attempt suicide?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or more times

The next 2 questions ask about your living arrangements.

26. During the past 12 months, did you ever find yourself without a place to stay?

- ① Yes (Go to Question 27)
- ② No (Skip the next question and go to Question 28)

27. If you answered "yes", why?

- ① Ran away
- ② My parents kicked me out
- ③ My family was without a place to stay
- ④ Other

The next 8 questions ask about tobacco use.

28. If you have ever smoked a **cigarette**, how old were you when you smoked a whole cigarette for the **first** time?

- ① I have never smoked a whole cigarette
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

29. During the past 30 days, on how many days (if any) did you smoke **cigarettes**?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

30. If you wanted to get some **cigarettes**, how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

31. In the past year, have you ever:

Yes No

Bought cigarettes from a grocery store?

- ① ②

Bought cigarettes from a gas station, convenience store, or discount store?

- ① ②

Given money to a legal age (18+) person to buy cigarettes for you?

- ① ②

Stolen cigarettes from a store?

- ① ②

Taken cigarettes from your home or a friend's home without permission?

- ① ②

Been given cigarettes by your parents or a friend's parents?

- ① ②

Been given cigarettes by an underage friend?

- ① ②

Been given cigarettes by a legal aged (18+) person?

- ① ②

32. During the past 12 months, did you ever try to quit smoking cigarettes?

- ① I have not smoked during the past 12 months
- ② Yes
- ③ No

33. If you have ever used **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen, how old were you when you **first** used it?

- ① I have never used chewing tobacco, snuff, or dip
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

34. During the past 30 days, on how many days (if any) did you use **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

35. During the past 30 days, on how many days (if any) did you smoke **cigars, cigarillos, or little cigars**?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

The next 5 questions ask about drinking alcohol. This includes drinking beer, wine, wine coolers, and liquor such as rum, gin, vodka, or whiskey. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes. One drink is equal to:

One 12 oz. beer (5% alcohol)

One 5 oz. glass of wine (12% alcohol)

1.5 oz. of distilled spirits (40% or 80 proof)

36. If you have ever drank alcohol, how old were you when you had your **first** drink of **alcohol** other than a few sips?

- ① I have never had a drink of alcohol other than a few sips
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

37. During the past 30 days, on how many days (if any), did you have at least one drink of **alcohol**?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

38. During the past 30 days, on how many days (if any) did you have 5 or more drinks of **alcohol** in a row, that is, within a couple of hours?

- ① 0 days
- ② 1 day
- ③ 2 days
- ④ 3 to 5 days
- ⑤ 6 to 9 days
- ⑥ 10 to 19 days
- ⑦ 20 or more days

39. If you wanted to get some **beer, wine, or hard liquor** (for example, vodka, whiskey or gin), how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

40. In the past year, have you ever:

	Yes	No
Bought alcohol from a store?	①	②
Bought alcohol from a restaurant or bar?	①	②
Given money to a legal age (21+) friend or family member to buy alcohol for you?	①	②
Stolen alcohol from a store?	①	②
Taken alcohol from your home or a friend's home without permission?	①	②
Been given alcohol by your parents or a friend's parents?	①	②
Been given alcohol by an underage friend?	①	②
Been given alcohol by a legal aged (21+) person?	①	②
Attended a party where alcohol was available?	①	②

The next 3 questions ask about marijuana use. Marijuana is also called grass, pot or weed.

41. If you have ever tried **marijuana**, how old were you when you tried marijuana for the **first** time?

- ① I have never smoked marijuana
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

42. During the past 30 days, how many times (if any) did you use **marijuana**?

- ① 0 times
- ② 1 or 2 times
- ③ 3 to 9 times
- ④ 10 to 19 times
- ⑤ 20 to 39 times
- ⑥ 40 or more times

43. If you wanted to get some **marijuana**, how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

The next 3 questions ask about using over the counter drugs only for the experience or feeling they cause and not for their intended medicinal purposes. For example: cold medicine or others that can be bought at a drug store.

44. During the past 30 days, how many times (if any) did you use an **over the counter drug** *only for the experience or feeling that it caused*?

- ① 0 times
- ② 1 or 2 times
- ③ 3 to 9 times
- ④ 10 to 19 times
- ⑤ 20 to 39 times
- ⑥ 40 or more times

45. If you have ever tried an **over the counter drug** *only for the experience or feeling that it caused*, how old were you when you **first** took some?

- ① I have never taken an over the counter drug only to get high
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

46. Referring to **over the counter drugs** taken *only for the experience or feeling that they cause*, have you ever:

	Yes	No
Taken over the counter drugs from your home?	①	②
Taken over the counter drugs from your grandparents?	①	②
Taken over the counter drugs from a friend?	①	②
Taken over the counter drugs from a friend's home?	①	②
Bought over the counter drugs from a friend/peer?	①	②
Bought over the counter drugs from a store?	①	②
Stole over the counter drugs from the store?	①	②
Attended a party where over the counter drugs were available?	①	②

47. How much do people risk harming themselves (physically or in other ways) if they use an **over the counter drug** *only for the experience or feeling that it caused*?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

The next 3 questions ask about the use of prescription drugs without a doctor's permission and only for the experience or feeling they cause.

48. During the past 30 days, have you taken any of the following *without a doctor's permission and only for the experience or feeling that they cause*:

	Yes	No
Prescription sedatives or tranquilizers such as Valium, Xanax, or Restoril?	①	②
Prescription pain relievers such as Darvocet, Percocet, or Vicodin?	①	②
Prescription stimulants such as Ritalin, Adderal, or Fastin?	①	②
An unknown prescription drug?	①	②

49. If you have ever tried **prescription drugs** that were *not prescribed for you* or that you took *only for the experience or feeling that they cause*, how old were you when you **first** took them?

- ① I have never taken prescription drugs that were not prescribed for me
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

50. Referring to **prescription drugs** *not prescribed for you* and taken *only for the experience or feeling they cause*, have you ever:

	Yes	No
Taken prescription drugs from your home?	①	②
Taken prescription drugs from your grandparents?	①	②
Taken prescription drugs from a friend?	①	②
Taken prescription drugs from a friend's home?	①	②
Bought prescription drugs from a friend/peer?	①	②
Bought prescription drugs from the internet?	①	②
Attended a party where prescription drugs were available?	①	②

51. How much do people risk harming themselves (physically or in other ways) if they take **prescription drugs** without a doctor's permission and only for the experience or feeling that they cause?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

The next 23 questions ask about other drugs.

52. If you have ever tried **cocaine**, how old were you the **first** time you tried it, in any form including powder, crack or freebase?

- ① I have never tried cocaine
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

53. During the past 30 days, on how many occasions (if any) did you use any form of **cocaine**, including powder, crack, or freebase?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 9 occasions
- ④ 10 to 19 occasions
- ⑤ 20 to 39 occasions
- ⑥ 40 or more occasions

54. If you have ever used an **inhalant** (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any other gases or sprays) *for kicks or to get high*, how old were you the **first** time you tried an inhalant?

- ① I have never tried inhalants
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

55. On how many occasions during the last 30 days (if any) have you used **inhalants** (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any other gases or sprays) *in order to get high*?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 5 occasions
- ④ 6 to 9 occasions
- ⑤ 10 to 19 occasions
- ⑥ 20 to 39 occasions
- ⑦ 40 or more occasions

56. If you have ever tried **heroin**, how old were you the **first** time you tried heroin (also called smack, junk, or China White)?

- ① I have never tried heroin
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

57. If you have ever tried **methamphetamines**, how old were you when you **first** tried methamphetamines (also called speed, crystal, crank, ice, chalk, fire or glass)?

- ① I have never tried methamphetamines
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

58. On how many occasions during the last 30 days (if any) have you used **methamphetamines** (speed, crystal, crank, ice, chalk, fire, glass)?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 5 occasions
- ④ 6 to 9 occasions
- ⑤ 10 to 19 occasions
- ⑥ 20 to 39 occasions
- ⑦ 40 or more occasions

59. If you have ever used **ecstasy**, how old were you when you **first** used ecstasy (also called E, MDMA)?

- ① I have never used ecstasy
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

60. If you have ever taken **steroids**, how old were you when you **first** took **steroid pills or shots** without a doctor's prescription?

- ① I have never taken steroids that were not prescribed for me
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

61. During your life, how many times (if any) have you used a needle to inject any **illegal** drug into your body?

- ① 0 times
- ② 1 time
- ③ 2 or more times

62. If you have ever used **hallucinogens**, how old were you the **first** time you used a hallucinogen (LSD, PCP, shrooms or acid)?

- ① I have never tried hallucinogens
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

63. On how many occasions in the last 30 days (if any) have you taken a **hallucinogen** (acid, shrooms, PCP, or LSD)?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 5 occasions
- ④ 6 to 9 occasions
- ⑤ 10 to 19 occasions
- ⑥ 20 to 39 occasions
- ⑦ 40 or more occasions

64. During the past 12 months, has anyone offered, sold, or given you an **illegal** drug?

- ① Yes
- ② No

65. If you wanted to get a drug like cocaine, LSD, heroin or methamphetamine, how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

How much do you think people risk harming themselves (physically or in other ways) if they:

66. Smoke one or more packs of cigarettes per day?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

67. Have one or two alcoholic drinks nearly every day?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

68. Have five or more alcoholic drinks once or twice each weekend?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

69. Try marijuana once or twice?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

70. Smoke marijuana regularly?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

71. Take cocaine occasionally (in any form, including powder, crack or freebase)?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

How wrong do your parents feel it would be for you to:

72. Drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly?

- ① Very wrong
- ② Wrong
- ③ A little bit wrong
- ④ Not wrong at all

73. Smoke cigarettes?

- ① Very wrong
- ② Wrong
- ③ A little bit wrong
- ④ Not wrong at all

74. Smoke marijuana?

- ① Very wrong
- ② Wrong
- ③ A little bit wrong
- ④ Not wrong at all

The next question asks about physical activity (exercise).

75. During the past 7 days, on how many days were you physically active for a total of **at least 60 minutes per day?** (Add up all the time you spend in any kind of physical activity that increases your heart rate and makes you breathe hard some of the time.)

- ① 0 days
- ② 1 day
- ③ 2 days
- ④ 3 days
- ⑤ 4 days
- ⑥ 5 days
- ⑦ 6 days
- ⑧ 7 days

The next four questions ask about body weight.

76. How do **you** describe your weight?

- ① Very underweight
- ② Slightly underweight
- ③ About the right weight
- ④ Slightly overweight
- ⑤ Very overweight

77. Which of the following are you trying to do about your weight?

- ① I am **not trying to do anything** about my weight
- ② **Lose** weight
- ③ **Gain** weight
- ④ **Stay** the same weight

78. During the past 30 days, have you done any of the following to **lose weight** or to **keep from gaining weight**? (mark all that apply)

- ① Exercise
- ② Eat less food, fewer calories, or foods low in fat
- ③ Go without eating for 24 hours or more
- ④ Take any diet pills, powders, or liquids without a doctor's advice
- ⑤ Vomit or take laxatives
- ⑥ None of the above

79. If you exercise regularly, do you worry that you will gain weight if you skip exercising for **one** day?

- ① I do not exercise regularly
- ② Yes
- ③ No

The next 6 questions ask about food you usually eat or drink. Think about all the meals and snacks you eat from the time you get up until you go to bed. Be sure to include food you ate at home, at school, at restaurants, or anywhere else.

80. On an average day, how many cups of **fruit** do you eat (including 100% fruit juice)? *Example: 1 cup = a medium apple, an 8 inch banana, 32 grapes or 8 ounces of juice*

- ① I do not usually eat fruit
- ② 1 cup
- ③ 2 cups
- ④ 3 cups
- ⑤ 4 cups
- ⑥ 5 cups
- ⑦ 6 cups or more

81. On an average day, how many cups of **vegetables** do you eat? *Example: 1 cup = a small potato, an 8 inch corn cob or 12 baby carrots*

- ① I do not usually eat vegetables
- ② 1 cup
- ③ 2 cups
- ④ 3 cups
- ⑤ 4 cups
- ⑥ 5 cups
- ⑦ 6 cups or more

82. On an average day, how many servings (cans/12 oz) of **pop/soda** do you drink?

- ① I do not drink pop/soda
- ② 1
- ③ 2
- ④ 3
- ⑤ 4
- ⑥ 5
- ⑦ 6 or more

83. On an average day, how many times do you eat **candy** as a snack or meal?

- ① I do not usually eat candy
- ② once
- ③ twice
- ④ 3 times
- ⑤ 4 times
- ⑥ 5 times
- ⑦ 6 times or more

84. During the past 7 days, how many times did you eat **fast food**?

- ① I did not eat fast food during the past 7 days
- ② 1 to 3 times during the past 7 days
- ③ 4 to 6 times during the past 7 days
- ④ 1 time per day
- ⑤ 2 times per day
- ⑥ 3 times per day
- ⑦ 4 or more times per day

85. On an average day, how many servings of **dairy** (8oz milk, 1.5 oz/3-4 cubes of cheese, one 6-8oz container of yogurt) do you eat?

- ① I do not usually eat/drink dairy
- ② 1 serving
- ③ 2 servings
- ④ 3 servings
- ⑤ 4 servings
- ⑥ 5 servings
- ⑦ 6 servings or more

The next 2 questions ask about your health.

86. During the past 12 months, have you had an episode of **asthma** or an **asthma attack**?

- ① I do not have asthma
- ② No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months.
- ③ Yes, I have had an episode of asthma or an asthma attack during the past 12 months.
- ④ Not sure

87. Have you been diagnosed with any form of **diabetes**?

- ① No, I have not been diagnosed with any form of diabetes
- ② No, but I have been told I have pre-diabetes/metabolic syndrome
- ③ Yes, I have been diagnosed with Type I diabetes (take insulin)
- ④ Yes, I have been diagnosed with Type II diabetes
- ⑤ Not sure

School Bonding

The next 10 questions ask about your experiences and classes at school.

88. During the past 12 months, how would you describe your grades in school?

- ① Mostly A's
- ② Mostly B's
- ③ Mostly C's
- ④ Mostly D's
- ⑤ Mostly F's
- ⑥ Not sure

103. We argue about the same things in my family over and over again.

- ① NO! ② no ③ yes ④ YES!

104. People in my family have serious arguments.

- ① NO! ② no ③ yes ④ YES!

Parenting Practices

105. My parents ask if I've gotten my homework done.

- ① NO! ② no ③ yes ④ YES!

106. My parents want me to call if I'm going to be late getting home.

- ① NO! ② no ③ yes ④ YES!

107. When I am not at home, one of my parents knows where I am and who I am with.

- ① NO! ② no ③ yes ④ YES!

108. The rules in my family are clear.

- ① NO! ② no ③ yes ④ YES!

109. My family has clear rules about alcohol and drug abuse.

- ① NO! ② no ③ yes ④ YES!

110. Would your parents know if you did not come home on time?

- ① NO! ② no ③ yes ④ YES!

Family Involvement

111. My parents give me lots of chances to do fun things with them.

- ① NO! ② no ③ yes ④ YES!

112. My parents ask me what I think before most family decisions affecting me are made.

- ① NO! ② no ③ yes ④ YES!

113. If I had a personal problem, I could ask my mom or dad for help.

- ① NO! ② no ③ yes ④ YES!

Social Disorganization

The next 6 questions ask about the neighborhood and community where you live.

How much does each of the following statements describe your neighborhood?

114. I feel safe in my neighborhood

- ① NO! ② no ③ yes ④ YES!

115. Crime and/or drug selling

- ① NO! ② no ③ yes ④ YES!

116. Fights

- ① NO! ② no ③ yes ④ YES!

117. Lots of empty or abandoned buildings

- ① NO! ② no ③ yes ④ YES!

118. Lots of graffiti

- ① NO! ② no ③ yes ④ YES!

119. During the past 12 months, have you participated in the following: (mark all that apply)

- ① Volunteer opportunity
- ② School or community club (Scouts, 4-H, debate, Junior Achievement, etc.)
- ③ Team sports (football, basketball, swimming, track, gymnastics, etc.)
- ④ Non-team sports
- ⑤ Art/music/theater/dance
- ⑥ Part-time job
- ⑦ Church group
- ⑧ Leadership activities (student council, advisory committees)
- ⑨ None



[SERIAL]



Ottawa County Youth Assessment Survey

This survey is about health behavior. It has been developed so you can tell us what you do that may affect your health. The information you give will be used to develop better health education.

DO NOT write your name on this survey. The answers you give will be kept private. No one will know what you write. Answer the questions based on what you really do.

Completing the survey is voluntary. Whether or not you answer the questions will not affect your grade in this class. If you are not comfortable answering a question, just leave it blank.

The questions that ask about your background will be used only to describe the types of students completing this survey. The information will not be used to find out your name. No names will ever be reported.

Make sure to read every question. Fill in the ovals completely. When you are finished, follow the instructions of the person giving you the survey.

Thank you very much for your help.

MARKING INSTRUCTIONS

- Use a No. 2 pencil or a blue or black ink pen only.
- Do not use pens with ink that soaks through the paper.
- Make solid marks that fill the response completely.
- Make no stray marks on this form.

CORRECT: ●

INCORRECT: ✓ ✗ ○ ◐

PLEASE DO NOT WRITE IN THIS AREA



[SERIAL]

Demographics

These questions ask for some general information about you. Please mark the response that best describes you.

1. How old are you?

Age	
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9

2. What is your gender?

- ① Female
- ② Male

3. What grade are you in?

- ① 8th grade
- ② 10th grade
- ③ 12th grade

4. How tall are you without your shoes on?

Ft.	In.
0	0 0 0
1	1 1 1
2	2 2 2
3	3 3 3
4	4 4 4
5	5 5 5
6	6 6 6
7	7 7 7
8	8 8 8
9	9 9 9

5. How much do you weigh without your shoes on?

Lbs.		
0	0	0
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9

6. Which one of the following best describes your race/ethnicity?

- ① American Indian or Alaska Native
- ② Asian
- ③ Black or African American
- ④ Hispanic or Latino
- ⑤ Native Hawaiian or Other Pacific Islander
- ⑥ White
- ⑦ Multi-racial

The next two questions ask about safety.

7. During the past 30 days, how many times (if any) did you **ride** in a car or other vehicle **driven by someone who had been drinking alcohol**?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or more times

8. During the past 30 days, how many times (if any) did you **drive** a car or other vehicle **when you had been drinking alcohol**?

- ① I don't drive
- ② 0 times
- ③ 1 time
- ④ 2 or 3 times
- ⑤ 4 or 5 times
- ⑥ 6 or more times

The next 6 questions ask about violence-related behaviors.

9. During the past 30 days, on how many days (if any) did you carry **a weapon** such as a gun, knife, or club?

- ① 0 days
- ② 1 day
- ③ 2 or 3 days
- ④ 4 or 5 days
- ⑤ 6 or more days

10. If you wanted to get **a handgun**, how easy would it be for you to get one?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

11. During the past 30 days, on how many days (if any) did you **not** go to school because you felt unsafe at school or on your way to or from school?

- ① 0 days
- ② 1 day
- ③ 2 or 3 days
- ④ 4 or 5 days
- ⑤ 6 or more days

12. During the past 12 months, how many times (if any) has someone threatened or injured you with **a weapon** such as a gun, knife, or club?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or 7 times
- ⑥ 8 or 9 times
- ⑦ 10 or 11 times
- ⑧ 12 or more times

13. During the past 12 months, how many times (if any) has someone stolen or deliberately damaged your property such as your car, clothing, or books?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or 7 times
- ⑥ 8 or 9 times
- ⑦ 10 or 11 times
- ⑧ 12 or more times

14. During the past 12 months, how many times (if any) were you in a physical fight?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or 5 times
- ⑤ 6 or 7 times
- ⑥ 8 or 9 times
- ⑦ 10 or 11 times
- ⑧ 12 or more times

The next 3 questions refer to gangs. In this survey, the term "gang" refers to an organized gang that has an identity such as a name, symbol or certain colors associated with it. The term "gang" in this survey does not refer to other organized groups such as church groups, sports teams, or clubs (such as Scouts, 4-H or others).

15. If you have ever belonged to an organized gang, how old were you when you **first** joined?

- ① I have never belonged to an organized gang
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

16. During the past 12 months, were you ever asked to join an organized gang?

- ① Yes
- ② No

17. During the past 12 months, were you ever threatened by one or more members of an organized gang?

- ① Yes
- ② No

The next 6 questions ask about abuse in relationships.

18. During the past 12 months, have you had sexual intercourse when you really didn't want to?

- ① Yes (Go to Question 19)
- ② No (Skip the next question and go to 20)

19. If you answered YES, were you: (mark all that apply)

- ① Physically forced
- ② Threatened or made to feel guilty
- ③ Under the influence of alcohol or other drugs
- ④ Other reason

20. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

- ① I did not have a boyfriend or girlfriend during the past 12 months
- ② Yes
- ③ No

21. During the past 12 months, has your boyfriend or girlfriend ever done the following during the relationship: (mark all that apply)

- ① I did not have a boyfriend or girlfriend during the past 12 months
- ② Threatened you
- ③ Called you degrading names
- ④ Isolated you from family or friends
- ⑤ Tried to control when you saw your friends
- ⑥ None of the above happened during the relationship

22. If someone's boyfriend or girlfriend were pushing, yelling, or hitting them, would you find someone to help?

- ① Yes
- ② No

23. If your boyfriend or girlfriend was pushing, yelling, or hitting you, would you want someone to find help?

- ① Yes
- ② No

The next 2 questions ask about sad feelings and attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide, which is taking some action to end their own life.

24. During the past 12 months, did you ever feel so sad or hopeless almost every day for **two weeks or more in a row** that you stopped doing some usual activities?

- ① Yes
- ② No

25. During the past 12 months, how many times (if any) did you attempt suicide?

- ① 0 times
- ② 1 time
- ③ 2 or 3 times
- ④ 4 or more times

The next 2 questions ask about your living arrangements.

26. During the past 12 months, did you ever find yourself without a place to stay?

- ① Yes (Go to Question 27)
- ② No (Skip the next question and go to Question 28)

27. If you answered "yes", why?

- ① Ran away
- ② My parents kicked me out
- ③ My family was without a place to stay
- ④ Other

The next 8 questions ask about tobacco use.

28. If you have ever smoked a **cigarette**, how old were you when you smoked a whole cigarette for the **first** time?

- ① I have never smoked a whole cigarette
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

29. During the past 30 days, on how many days (if any) did you smoke **cigarettes**?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

30. If you wanted to get some **cigarettes**, how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

31. In the past year, have you ever:

Yes No

Bought cigarettes from a grocery store?

- ① ②

Bought cigarettes from a gas station, convenience store, or discount store?

- ① ②

Given money to a legal age (18+) person to buy cigarettes for you?

- ① ②

Stolen cigarettes from a store?

- ① ②

Taken cigarettes from your home or a friend's home without permission?

- ① ②

Been given cigarettes by your parents or a friend's parents?

- ① ②

Been given cigarettes by an underage friend?

- ① ②

Been given cigarettes by a legal aged (18+) person?

- ① ②

32. During the past 12 months, did you ever try to quit smoking cigarettes?

- ① I have not smoked during the past 12 months
- ② Yes
- ③ No

33. If you have ever used **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen, how old were you when you **first** used it?

- ① I have never used chewing tobacco, snuff, or dip
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

34. During the past 30 days, on how many days (if any) did you use **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

35. During the past 30 days, on how many days (if any) did you smoke **cigars, cigarillos, or little cigars**?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

The next 5 questions ask about drinking alcohol. This includes drinking beer, wine, wine coolers, and liquor such as rum, gin, vodka, or whiskey. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes. One drink is equal to:

One 12 oz. beer (5% alcohol)

One 5 oz. glass of wine (12% alcohol)

1.5 oz. of distilled spirits (40% or 80 proof)

36. If you have ever drank alcohol, how old were you when you had your **first** drink of **alcohol** other than a few sips?

- ① I have never had a drink of alcohol other than a few sips
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

37. During the past 30 days, on how many days (if any), did you have at least one drink of **alcohol**?

- ① 0 days
- ② 1 or 2 days
- ③ 3 to 5 days
- ④ 6 to 9 days
- ⑤ 10 to 19 days
- ⑥ 20 to 29 days
- ⑦ All 30 days

38. During the past 30 days, on how many days (if any) did you have 5 or more drinks of **alcohol** in a row, that is, within a couple of hours?

- ① 0 days
- ② 1 day
- ③ 2 days
- ④ 3 to 5 days
- ⑤ 6 to 9 days
- ⑥ 10 to 19 days
- ⑦ 20 or more days

39. If you wanted to get some **beer, wine, or hard liquor** (for example, vodka, whiskey or gin), how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

40. In the past year, have you ever:

	Yes	No
Bought alcohol from a store?	①	②
Bought alcohol from a restaurant or bar?	①	②
Given money to a legal age (21+) friend or family member to buy alcohol for you?	①	②
Stolen alcohol from a store?	①	②
Taken alcohol from your home or a friend's home without permission?	①	②
Been given alcohol by your parents or a friend's parents?	①	②
Been given alcohol by an underage friend?	①	②
Been given alcohol by a legal aged (21+) person?	①	②
Attended a party where alcohol was available?	①	②

The next 3 questions ask about marijuana use. Marijuana is also called grass, pot or weed.

41. If you have ever tried **marijuana**, how old were you when you tried marijuana for the **first** time?

- ① I have never smoked marijuana
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

42. During the past 30 days, how many times (if any) did you use **marijuana**?

- ① 0 times
- ② 1 or 2 times
- ③ 3 to 9 times
- ④ 10 to 19 times
- ⑤ 20 to 39 times
- ⑥ 40 or more times

43. If you wanted to get some **marijuana**, how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

The next 3 questions ask about using over the counter drugs only for the experience or feeling they cause and not for their intended medicinal purposes. For example: cold medicine or others that can be bought at a drug store.

44. During the past 30 days, how many times (if any) did you use an **over the counter drug** *only for the experience or feeling that it caused*?

- ① 0 times
- ② 1 or 2 times
- ③ 3 to 9 times
- ④ 10 to 19 times
- ⑤ 20 to 39 times
- ⑥ 40 or more times

45. If you have ever tried an **over the counter drug** *only for the experience or feeling that it caused*, how old were you when you **first** took some?

- ① I have never taken an over the counter drug only to get high
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

46. Referring to **over the counter drugs** taken *only for the experience or feeling that they cause*, have you ever:

	Yes	No
Taken over the counter drugs from your home?	①	②
Taken over the counter drugs from your grandparents?	①	②
Taken over the counter drugs from a friend?	①	②
Taken over the counter drugs from a friend's home?	①	②
Bought over the counter drugs from a friend/peer?	①	②
Bought over the counter drugs from a store?	①	②
Stole over the counter drugs from the store?	①	②
Attended a party where over the counter drugs were available?	①	②

47. How much do people risk harming themselves (physically or in other ways) if they use an **over the counter drug** *only for the experience or feeling that it caused*?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

The next 3 questions ask about the use of prescription drugs without a doctor's permission and only for the experience or feeling they cause.

48. During the past 30 days, have you taken any of the following *without a doctor's permission and only for the experience or feeling that they cause*:

	Yes	No
Prescription sedatives or tranquilizers such as Valium, Xanax, or Restoril?	①	②
Prescription pain relievers such as Darvocet, Percocet, or Vicodin?	①	②
Prescription stimulants such as Ritalin, Adderal, or Fastin?	①	②
An unknown prescription drug?	①	②

49. If you have ever tried **prescription drugs** that were *not prescribed for you* or that you took *only for the experience or feeling that they cause*, how old were you when you **first** took them?

- ① I have never taken prescription drugs that were not prescribed for me
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

50. Referring to **prescription drugs** *not prescribed for you* and taken *only for the experience or feeling they cause*, have you ever:

	Yes	No
Taken prescription drugs from your home?	①	②
Taken prescription drugs from your grandparents?	①	②
Taken prescription drugs from a friend?	①	②
Taken prescription drugs from a friend's home?	①	②
Bought prescription drugs from a friend/peer?	①	②
Bought prescription drugs from the internet?	①	②
Attended a party where prescription drugs were available?	①	②

51. How much do people risk harming themselves (physically or in other ways) if they take **prescription drugs** without a doctor's permission and only for the experience or feeling that they cause?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

The next 23 questions ask about other drugs.

52. If you have ever tried **cocaine**, how old were you the **first** time you tried it, in any form including powder, crack or freebase?

- ① I have never tried cocaine
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

53. During the past 30 days, on how many occasions (if any) did you use any form of **cocaine**, including powder, crack, or freebase?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 9 occasions
- ④ 10 to 19 occasions
- ⑤ 20 to 39 occasions
- ⑥ 40 or more occasions

54. If you have ever used an **inhalant** (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any other gases or sprays) *for kicks or to get high*, how old were you the **first** time you tried an inhalant?

- ① I have never tried inhalants
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

55. On how many occasions during the last 30 days (if any) have you used **inhalants** (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any other gases or sprays) *in order to get high*?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 5 occasions
- ④ 6 to 9 occasions
- ⑤ 10 to 19 occasions
- ⑥ 20 to 39 occasions
- ⑦ 40 or more occasions

56. If you have ever tried **heroin**, how old were you the **first** time you tried heroin (also called smack, junk, or China White)?

- ① I have never tried heroin
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

57. If you have ever tried **methamphetamines**, how old were you when you **first** tried methamphetamines (also called speed, crystal, crank, ice, chalk, fire or glass)?

- ① I have never tried methamphetamines
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

58. On how many occasions during the last 30 days (if any) have you used **methamphetamines** (speed, crystal, crank, ice, chalk, fire, glass)?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 5 occasions
- ④ 6 to 9 occasions
- ⑤ 10 to 19 occasions
- ⑥ 20 to 39 occasions
- ⑦ 40 or more occasions

59. If you have ever used **ecstasy**, how old were you when you **first** used ecstasy (also called E, MDMA)?

- ① I have never used ecstasy
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

60. If you have ever taken **steroids**, how old were you when you **first** took **steroid pills or shots** without a doctor's prescription?

- ① I have never taken steroids that were not prescribed for me
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

61. During your life, how many times (if any) have you used a needle to inject any **illegal** drug into your body?

- ① 0 times
- ② 1 time
- ③ 2 or more times

62. If you have ever used **hallucinogens**, how old were you the **first** time you used a hallucinogen (LSD, PCP, shrooms or acid)?

- ① I have never tried hallucinogens
- ② 8 years old or younger
- ③ 9 or 10 years old
- ④ 11 or 12 years old
- ⑤ 13 or 14 years old
- ⑥ 15 or 16 years old
- ⑦ 17 years old or older

63. On how many occasions in the last 30 days (if any) have you taken a **hallucinogen** (acid, shrooms, PCP, or LSD)?

- ① 0 occasions
- ② 1 or 2 occasions
- ③ 3 to 5 occasions
- ④ 6 to 9 occasions
- ⑤ 10 to 19 occasions
- ⑥ 20 to 39 occasions
- ⑦ 40 or more occasions

64. During the past 12 months, has anyone offered, sold, or given you an **illegal** drug?

- ① Yes
- ② No

65. If you wanted to get a drug like cocaine, LSD, heroin or methamphetamine, how easy would it be for you to get some?

- ① Very hard
- ② Sort of hard
- ③ Sort of easy
- ④ Very easy

How much do you think people risk harming themselves (physically or in other ways) if they:

66. Smoke one or more packs of cigarettes per day?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

67. Have one or two alcoholic drinks nearly every day?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

68. Have five or more alcoholic drinks once or twice each weekend?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

69. Try marijuana once or twice?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

70. Smoke marijuana regularly?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

71. Take cocaine occasionally (in any form, including powder, crack or freebase)?

- ① No risk
- ② Slight risk
- ③ Moderate risk
- ④ Great risk
- ⑤ Can't say/Drug unfamiliar

How wrong do your parents feel it would be for you to:

72. Drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly?

- ① Very wrong
- ② Wrong
- ③ A little bit wrong
- ④ Not wrong at all

73. Smoke cigarettes?

- ① Very wrong
- ② Wrong
- ③ A little bit wrong
- ④ Not wrong at all

74. Smoke marijuana?

- ① Very wrong
- ② Wrong
- ③ A little bit wrong
- ④ Not wrong at all

The next question asks about physical activity (exercise).

75. During the past 7 days, on how many days were you physically active for a total of **at least 60 minutes per day?** (Add up all the time you spend in any kind of physical activity that increases your heart rate and makes you breathe hard some of the time.)

- ① 0 days
- ② 1 day
- ③ 2 days
- ④ 3 days
- ⑤ 4 days
- ⑥ 5 days
- ⑦ 6 days
- ⑧ 7 days

The next four questions ask about body weight.

76. How do **you** describe your weight?

- ① Very underweight
- ② Slightly underweight
- ③ About the right weight
- ④ Slightly overweight
- ⑤ Very overweight

77. Which of the following are you trying to do about your weight?

- ① I am **not trying to do anything** about my weight
- ② **Lose** weight
- ③ **Gain** weight
- ④ **Stay** the same weight

78. During the past 30 days, have you done any of the following to **lose weight** or to **keep from gaining weight**? (mark all that apply)

- ① Exercise
- ② Eat less food, fewer calories, or foods low in fat
- ③ Go without eating for 24 hours or more
- ④ Take any diet pills, powders, or liquids without a doctor's advice
- ⑤ Vomit or take laxatives
- ⑥ None of the above

79. If you exercise regularly, do you worry that you will gain weight if you skip exercising for **one** day?

- ① I do not exercise regularly
- ② Yes
- ③ No

The next 6 questions ask about food you usually eat or drink. Think about all the meals and snacks you eat from the time you get up until you go to bed. Be sure to include food you ate at home, at school, at restaurants, or anywhere else.

80. On an average day, how many cups of **fruit** do you eat (including 100% fruit juice)? *Example: 1 cup = a medium apple, an 8 inch banana, 32 grapes or 8 ounces of juice*

- ① I do not usually eat fruit
- ② 1 cup
- ③ 2 cups
- ④ 3 cups
- ⑤ 4 cups
- ⑥ 5 cups
- ⑦ 6 cups or more

81. On an average day, how many cups of **vegetables** do you eat? *Example: 1 cup = a small potato, an 8 inch corn cob or 12 baby carrots*

- ① I do not usually eat vegetables
- ② 1 cup
- ③ 2 cups
- ④ 3 cups
- ⑤ 4 cups
- ⑥ 5 cups
- ⑦ 6 cups or more

82. On an average day, how many servings (cans/12 oz) of **pop/soda** do you drink?

- ① I do not drink pop/soda
- ② 1
- ③ 2
- ④ 3
- ⑤ 4
- ⑥ 5
- ⑦ 6 or more

83. On an average day, how many times do you eat **candy** as a snack or meal?

- ① I do not usually eat candy
- ② once
- ③ twice
- ④ 3 times
- ⑤ 4 times
- ⑥ 5 times
- ⑦ 6 times or more

84. During the past 7 days, how many times did you eat **fast food**?

- ① I did not eat fast food during the past 7 days
- ② 1 to 3 times during the past 7 days
- ③ 4 to 6 times during the past 7 days
- ④ 1 time per day
- ⑤ 2 times per day
- ⑥ 3 times per day
- ⑦ 4 or more times per day

85. On an average day, how many servings of **dairy** (8oz milk, 1.5 oz/3-4 cubes of cheese, one 6-8oz container of yogurt) do you eat?

- ① I do not usually eat/drink dairy
- ② 1 serving
- ③ 2 servings
- ④ 3 servings
- ⑤ 4 servings
- ⑥ 5 servings
- ⑦ 6 servings or more

The next 2 questions ask about your health.

86. During the past 12 months, have you had an episode of **asthma** or an **asthma attack**?

- ① I do not have asthma
- ② No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months.
- ③ Yes, I have had an episode of asthma or an asthma attack during the past 12 months.
- ④ Not sure

87. Have you been diagnosed with any form of **diabetes**?

- ① No, I have not been diagnosed with any form of diabetes
- ② No, but I have been told I have pre-diabetes/metabolic syndrome
- ③ Yes, I have been diagnosed with Type I diabetes (take insulin)
- ④ Yes, I have been diagnosed with Type II diabetes
- ⑤ Not sure

School Bonding

The next 10 questions ask about your experiences and classes at school.

88. During the past 12 months, how would you describe your grades in school?

- ① Mostly A's
- ② Mostly B's
- ③ Mostly C's
- ④ Mostly D's
- ⑤ Mostly F's
- ⑥ Not sure

103. We argue about the same things in my family over and over again.

- ① NO! ② no ③ yes ④ YES!

104. People in my family have serious arguments.

- ① NO! ② no ③ yes ④ YES!

Parenting Practices

105. My parents ask if I've gotten my homework done.

- ① NO! ② no ③ yes ④ YES!

106. My parents want me to call if I'm going to be late getting home.

- ① NO! ② no ③ yes ④ YES!

107. When I am not at home, one of my parents knows where I am and who I am with.

- ① NO! ② no ③ yes ④ YES!

108. The rules in my family are clear.

- ① NO! ② no ③ yes ④ YES!

109. My family has clear rules about alcohol and drug abuse.

- ① NO! ② no ③ yes ④ YES!

110. Would your parents know if you did not come home on time?

- ① NO! ② no ③ yes ④ YES!

Family Involvement

111. My parents give me lots of chances to do fun things with them.

- ① NO! ② no ③ yes ④ YES!

112. My parents ask me what I think before most family decisions affecting me are made.

- ① NO! ② no ③ yes ④ YES!

113. If I had a personal problem, I could ask my mom or dad for help.

- ① NO! ② no ③ yes ④ YES!

Social Disorganization

The next 6 questions ask about the neighborhood and community where you live.

How much does each of the following statements describe your neighborhood?

114. I feel safe in my neighborhood

- ① NO! ② no ③ yes ④ YES!

115. Crime and/or drug selling

- ① NO! ② no ③ yes ④ YES!

116. Fights

- ① NO! ② no ③ yes ④ YES!

117. Lots of empty or abandoned buildings

- ① NO! ② no ③ yes ④ YES!

118. Lots of graffiti

- ① NO! ② no ③ yes ④ YES!

119. During the past 12 months, have you participated in the following: (mark all that apply)

- ① Volunteer opportunity
- ② School or community club (Scouts, 4-H, debate, Junior Achievement, etc.)
- ③ Team sports (football, basketball, swimming, track, gymnastics, etc.)
- ④ Non-team sports
- ⑤ Art/music/theater/dance
- ⑥ Part-time job
- ⑦ Church group
- ⑧ Leadership activities (student council, advisory committees)
- ⑨ None

The next 7 questions ask about sexual behavior. In these questions, unless specified, the word "sex" can refer to oral, vaginal or anal sex.

120. If you've ever had sexual intercourse, how old were you when you had sexual intercourse for the first time (vaginal)?

- ① I have never had sexual intercourse
- ② 11 years old or younger
- ③ 12-13 years old
- ④ 14-15 years old
- ⑤ 16-17 years old
- ⑥ 18 years old and older

121. If you have ever had oral sex, how old were you the first time you had oral sex?

- ① I have never had oral sex
- ② 11 years old or younger
- ③ 12-13 years old
- ④ 14-15 years old
- ⑤ 16-17 years old
- ⑥ 18 years old and older

122. If you have ever had sex, with how many people (if any) have you had sex?

- ① I have never had sex
- ② 1 person
- ③ 2 people
- ④ 3 people
- ⑤ 4 people
- ⑥ 5 people
- ⑦ 6 or more people

123. If you have had sex in the past 3 months, with how many people (if any) did you have sex?

- ① I have never had sex
- ② I have had sex, but not during the past 3 months
- ③ 1 person
- ④ 2 people
- ⑤ 3 people
- ⑥ 4 people
- ⑦ 5 people
- ⑧ 6 or more people

124. If you have ever had sex, did you drink alcohol or use drugs before you had sex the **last time**?

- ① I have never had sex
- ② Yes
- ③ No

125. If you have had sex, did you or your partner use a condom the **last time**?

- ① I have never had sex
- ② Yes
- ③ No

126. The **last time** you had sexual intercourse, what **one** method (if any) did you or your partner use to **prevent pregnancy**? (Select only **one** response.)

- ① I have never had sex
- ② No method was used to prevent pregnancy
- ③ Birth control pills
- ④ Condoms
- ⑤ Depo-Provera (injectable birth control)
- ⑥ Withdrawal
- ⑦ Some other method
- ⑧ Not sure

PLEASE DO NOT WRITE IN THIS AREA



[SERIAL]

Frequency Tables Demographics

1. What is your age?				
Age	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12	19	0.84%	19	0.84%
13	469	20.67%	488	21.51%
14	166	7.32%	654	28.82%
15	548	24.15%	1202	52.97%
16	251	11.06%	1453	64.04%
17	590	26.00%	2043	90.04%
18	216	9.52%	2259	99.56%
19	9	0.40%	2268	99.96%
21	1	0.04%	2269	100.00%

Frequency Missing = 50

2. What is your gender?				
Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Female	1112	48.43%	1112	48.43%
Male	1184	51.57%	2296	51.57%

Frequency Missing = 23

3. What grade are you in?				
Grade	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8th	654	28.40%	654	28.40%
10th	819	35.56%	1473	63.96%
12th	830	36.04%	2303	100.00%

Frequency Missing = 16

Body Mass Index Category				
BMI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Underweight	360	16.66%	360	16.66%
Healthy Weight	1400	64.78%	1760	81.44%
At risk of Overweight	279	12.91%	2039	94.35%
Overweight	122	5.65%	2161	100.00%

Frequency Missing = 158

6. Race/Ethnicity				
Race/Ethnicity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1871	81.35%	1871	81.35%
Hispanic or Latino	186	8.09%	2057	89.43%
Multi-racial	102	4.43%	2159	93.87%
Asian	77	3.35%	2236	97.22%
Black or African American	36	1.57%	2272	98.78%
American Indian or Alaska Native	17	0.74%	2289	99.52%
Native Hawaiian or Other Pacific Islander	11	0.48%	2300	100.00%

Frequency Missing = 19

Frequency Tables Safety

7. Rode in vehicle with driver who had been drinking in past 30 days.				
Rode in vehicle	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	1908	82.56%	1908	82.56%
1 time	165	7.14%	2073	89.70%
2 or 3 times	133	5.76%	2206	95.46%
4 or 5 times	32	1.38%	2238	96.84%
6 or more times	73	3.16%	2311	100.00%

Frequency Missing = 8

8. Drove after drinking during past 30 days				
drove after drinking	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I don't drive	1084	46.95%	1084	46.95%
0 times	1096	47.47%	2180	94.41%
1 time	56	2.43%	2236	96.84%
2 or 3 times	29	1.26%	2265	98.09%
4 or 5 times	18	0.78%	2283	98.87%
6 or more times	26	1.13%	2309	100.00%

Frequency Missing = 10

Frequency Tables Violence Related Behaviors

9. Carried a weapon in past 30 days				
carried a weapon	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 days	1974	85.34%	1974	85.34%
1 day	85	3.67%	2059	89.02%
2 or 3 days	95	4.11%	2154	93.13%
4 or 5 days	40	1.73%	2194	94.86%
6 or more days	119	5.14%	2313	100.00%

Frequency Missing = 6

10. Ease of obtaining a handgun				
obtain handgun	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very hard	1186	51.39%	1186	51.39%
Sort of hard	552	23.92%	1738	75.30%
Sort of easy	354	15.34%	2092	90.64%
Very easy	216	9.36%	2308	100.00%

Frequency Missing = 11

11. Concerned about safety at/to/from school in past 30 days				
Safety concerns	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 days	2239	96.80%	2239	96.80%
1 day	31	1.34%	2270	98.14%
2 or 3 days	19	0.82%	2289	98.96%
4 or 5 days	4	0.17%	2293	99.14%
6 or more days	20	0.86%	2313	100.00%

Frequency Missing = 6

12. Been threatened or injured with a weapon during past 12 months				
threatened or injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	2112	91.15%	2112	91.15%
1 time	96	4.14%	2208	95.30%
2 or 3 times	42	1.81%	2250	97.11%
4 or 5 times	16	0.69%	2266	97.80%
6 or 7 times	11	0.47%	2277	98.27%
8 or 9 times	10	0.43%	2287	98.71%
10 or 11 times	1	0.04%	2288	98.75%
12 or more times	29	1.25%	2317	100.00%

Frequency Missing = 2

13. Deliberately damaged property in past 12 months				
property damage	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	1659	71.66%	1659	71.66%
1 time	357	15.42%	2016	87.08%
2 or 3 times	208	8.98%	2224	96.07%
4 or 5 times	37	1.60%	2261	97.67%
6 or 7 times	16	0.69%	2277	98.36%
8 or 9 times	7	0.30%	2284	98.66%
10 or 11 times	4	0.17%	2288	98.83%
12 or more times	27	1.17%	2315	100.00%

Frequency Missing = 4

14. In physical fight during past 12 months				
physical fight	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	1672	72.51%	1672	72.51%
1 time	289	12.53%	1961	85.04%
2 or 3 times	191	8.28%	2152	93.32%
4 or 5 times	66	2.86%	2218	96.18%
6 or 7 times	19	0.82%	2237	97.01%
8 or 9 times	15	0.65%	2252	97.66%
10 or 11 times	8	0.35%	2260	98.01%
12 or more times	46	1.99%	2306	100.00%

Frequency Missing = 13

15. Ever belonged to an organized gang				
age of joining	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	31	1.34%	31	1.34%
9 or 10 years old	17	0.73%	48	2.07%
11 or 12 years old	28	1.21%	76	3.28%
13 or 14 years old	22	0.95%	98	4.24%
15 or 16 years old	30	1.30%	128	5.53%
17 years old or older	7	0.30%	135	5.83%
I have never belonged to an organized gang	2179	94.17%	2314	100.00%

Frequency Missing = 5

16. Asked to join an organized gang in past 12 months				
Asked to join	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	167	7.22%	167	7.22%
No	2147	92.78%	2314	100.00%

Frequency Missing = 5

17. Threatened by gang members in past 12 months				
Threatened	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	115	4.97%	115	4.97%
No	2194	94.81%	2309	99.78%

Frequency Missing = 10

18. Had sexual intercourse when you really didn't want to in past 12 months				
Forced	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	125	5.40%	125	5.40%
No	2186	94.47%	2311	99.87%

Frequency Missing = 8

19a. If yes, physically forced?				
Forced	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	13	10.40%	13	10.40%
No	112	89.60%	125	100.00%

Frequency Missing = 0

19b. If yes, threatened or made to feel guilty				
Forced	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	41	32.80%	41	32.80%
No	84	67.20%	125	100.00%

Frequency Missing = 0

19c. If yes, under the influence of alcohol or other drugs				
Forced	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	43	34.40%	43	34.40%
No	82	65.60%	125	100.00%

Frequency Missing = 0

19d. If yes, other reason				
Forced	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	60	48.00%	60	48.00%
No	65	52.00%	125	100.00%

Frequency Missing = 0

20. Hit, slapped, or physically hurt by boyfriend/girlfriend in last 12 months.				
hurt by boyfriend/girlfriend	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I did not have a boyfriend or girlfriend during the past 12 months	885	38.16%	885	38.16%
Yes	121	5.22%	1006	43.38%
No	1313	56.62%	2319	100.00%

Frequency Missing = 0

21a. During the past 12 months, has your boyfriend or girlfriend ever threatened you?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I did not have a boyfriend or girlfriend during the past 12 months	958	41.31%	958	41.31%
Yes	36	1.55%	994	42.86%
No	1324	57.09%	2318	99.96%

Frequency Missing = 1

21b. During the past 12 months, has your boyfriend or girlfriend ever called you a degrading name?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I did not have a boyfriend or girlfriend during the past 12 months	958	41.33%	958	41.33%
Yes	138	5.95%	1096	47.28%
No	1222	52.72%	2318	100.00%

Frequency Missing = 1

21c. During the past 12 months, has your boyfriend or girlfriend ever isolated you from family or friends?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I did not have a boyfriend or girlfriend during the past 12 months	958	41.33%	958	41.33%
Yes	80	3.45%	1038	44.78%
No	1280	55.22%	2318	100.00%

Frequency Missing = 1

21d. During the past 12 months, has your boyfriend or girlfriend ever tried to control when you saw your friends?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I did not have a boyfriend or girlfriend during the past 12 months	958	41.33%	958	41.33%
Yes	153	6.60%	1111	47.93%
No	1207	52.07%	2318	100.00%

Frequency Missing = 1

22. Help someone being pushed, yelled at, or hit.				
help	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2008	86.78%	2008	86.78%
No	292	12.62%	2300	99.39%

Frequency Missing = 19

22. Want help if being pushed, yelled at, or hit.				
help	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1670	72.17%	1670	72.17%
No	622	26.88%	2292	99.05%

Frequency Missing = 27

Frequency Tables Depression & Suicide

24. Felt sad or hopeless daily for two weeks during last 12 months.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	465	20.10%	465	20.10%
No	1852	80.03%	2317	100.13%

Frequency Missing = 2

25. Attempted suicide in last 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	2180	94.25%	2180	94.21%
1 time	77	3.33%	2257	
2 or 3 times	28	1.21%	2285	
4 or more times	28	1.21%	2313	

Frequency Missing = 6

Frequency Tables Living Arrangements

26. Without a place to stay in last 12 months?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	115	4.97%	115	4.97%
No	2200	95.03%	2315	100.00%

Frequency Missing = 4

27. If yes to #26, why without a place to stay?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Ran Away	22	19.47%	22	19.47%
My parents kicked me out	41	36.28%	63	55.75%
My family was without a place to stay	10	8.85%	73	64.60%
Other	40	35.40%	113	100.00%

Frequency Missing = 2

Frequency Tables Tobacco Use

28. If ever smoked, age of first use.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	55	2.38%	55	2.38%
9 or 10 years old	51	2.21%	106	4.59%
11 or 12 years old	92	3.98%	198	8.58%
13 or 14 years old	174	7.54%	372	16.11%
15 or 16 years old	199	8.62%	571	24.73%
17 years old or older	62	2.69%	633	27.41%
I have never smoked a whole cigarette	1676	72.59%	2309	100.00%

Frequency Missing = 10

29. Days smoked in past 30 days				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 days	1915	82.94%	1915	82.94%
1 or 2 days	108	4.68%	2023	87.61%
3 to 5 days	36	1.56%	2059	89.17%
6 to 9 days	26	1.13%	2085	90.30%
10 to 19 days	58	2.51%	2143	92.81%
20 to 29 days	52	2.25%	2195	95.06%
All 30 days	110	4.76%	2305	99.83%

Frequency Missing = 14

30. Ease of obtaining cigarettes				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very hard	634	27.47%	634	27.47%
Sort of hard	329	14.25%	963	41.72%
Sort of easy	384	16.64%	1347	58.36%
Very easy	961	41.64%	2308	100.00%

Frequency Missing = 11

31a. Bought cigarettes from a grocery store in past year				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	62	2.97%	62	2.97%
No	2024	97.03%	2086	100.00%

Frequency Missing = 7

31b. Bought cigarettes from a gas station, convenience store, or discount store in past year				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	119	5.70%	119	5.70%
No	1968	94.34%	2087	100.05%

Frequency Missing = 6

31c. Give money to a legal age (18+) person to buy cigarettes for you in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	255	12.22%	255	12.22%
No	1834	87.92%	2089	100.14%

Frequency Missing = 4

31d. Stolen cigarettes from a store in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	44	2.11%	44	2.11%
No	2038	97.89%	2082	100.00%

Frequency Missing = 11

31e. Taken cigarettes from your home or a friend's home without permission in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	141	6.76%	141	6.76%
No	1945	93.24%	2086	100.00%

Frequency Missing = 7

31f. Been given cigarettes by a legal aged (18+) person in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	128	6.15%	128	6.15%
No	1952	93.85%	2080	100.00%

Frequency Missing = 13

31g. Been given cigarettes by an underage friend in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	354	16.98%	354	16.98%
No	1731	83.02%	2085	100.00%

Frequency Missing = 8

31h. Been given cigarettes by a legal aged (18+) person in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	336	16.12%	336	16.12%
No	1749	83.88%	2085	100.00%

Frequency Missing = 8

32. Tried to quit smoking cigarettes during the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
have not smoked during past 12 months	1795	78.08%	1795	78.08%
Yes	254	11.05%	2049	89.13%
No	250	10.87%	2299	100.00%

Frequency Missing = 20

33. Age at first use of smokeless tobacco, if ever.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Never used smokeless tobacco	2036	88.21%	2036	88.21%
17 years old or older	55	2.38%	2091	90.60%
15 or 16 years old	109	4.72%	2200	95.32%
13 or 14 years old	59	2.56%	2259	97.88%
11 or 12 years old	29	1.26%	2288	99.13%
9 or 10 years old	8	0.35%	2296	99.48%
8 years old or younger	12	0.52%	2308	100.00%

Frequency Missing = 11

35. Smoked cigars, cigarillos, or little cigars on one or more of the past 30 days				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 days	2013	87.22%	2013	87.22%
1 or 2 days	163	7.06%	2176	94.28%
3 to 5 days	53	2.30%	2229	96.58%
6 to 9 days	25	1.08%	2254	97.66%
10 to 19 days	22	0.95%	2276	98.61%
20 to 29 days	12	0.52%	2288	99.13%
All 30 days	20	0.87%	2308	100.00%

Frequency Missing = 11

66. Perceived no or slight risk to smoking one or more packs of cigarettes per day.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	111	4.85%	111	4.85%
Slight risk	127	5.55%	238	10.41%
Moderate risk	526	23.00%	764	33.41%
Great risk	1331	58.20%	2095	91.60%
Can't say/Drug unfamiliar	192	8.40%	2287	100.00%

Frequency Missing = 32

73. How wrong do your parents feel it would be for you to smoke cigarettes?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very wrong	1589	69.48%	1589	69.48%
Wrong	450	19.68%	2039	89.16%
A little bit wrong	154	6.73%	2193	95.89%
Not wrong at all	78	3.41%	2271	99.30%

Frequency Missing = 48

Frequency Tables Alcohol Use

36. If you have ever drank alcohol, how old were you when you had your first drink of alcohol other than a few sips?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	87	3.78%	87	3.78%
9 or 10 years old	54	2.35%	141	6.13%
11 or 12 years old	116	5.05%	257	11.18%
13 or 14 years old	274	11.92%	531	23.10%
15 or 16 years old	338	14.70%	869	37.80%
17 years old or older	80	3.48%	949	41.28%
I have never had a drink of alcohol other than a few sips	1350	58.72%	2299	100.00%

Frequency Missing = 20

37. During the past 30 days, on how many days (if any) did you have at least one drink of alcohol?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 days	1730	74.79%	1730	74.79%
1 or 2 days	316	13.66%	2046	88.46%
3 to 5 days	123	5.32%	2169	93.77%
6 to 9 days	81	3.50%	2250	97.28%
10 to 19 days	37	1.60%	2287	98.88%
20 to 29 days	10	0.43%	2297	99.31%
All 30 days	16	0.69%	2313	100.00%

Frequency Missing = 6

38. During the past 30 days, on how many days (if any) did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 days	1980	85.64%	1980	85.64%
1 or 2 days	127	5.49%	2107	91.13%
3 to 5 days	138	5.97%	2245	97.10%
6 to 9 days	40	1.73%	2285	98.83%
10 to 19 days	9	0.39%	2294	99.22%
20 to 29 days	0	0.00%	2294	99.22%
All 30 days	18	0.78%	2312	100.00%

Frequency Missing = 7

39. If you wanted to get some beer, wine, or hard liquor, how easy would it be for you to get some?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very hard	524	22.69%	524	22.69%
Sort of hard	425	18.41%	949	41.10%
Sort of easy	627	27.15%	1576	68.25%
Very easy	733	31.75%	2309	100.00%

Frequency Missing = 10

40a. Bought alcohol from a store in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	50	2.17%	50	2.17%
No	2257	97.83%	2307	100.00%

Frequency Missing = 12

40b. Bought alcohol from a restaurant or bar in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	53	2.30%	53	2.30%
No	2252	97.70%	2305	100.00%

Frequency Missing = 14

40c. Given money to a legal age (21+) friend or family member to buy alcohol for you in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	355	15.38%	355	15.38%
No	1953	84.62%	2308	100.00%

Frequency Missing = 11

40d. Stolen alcohol from a store in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	70	3.05%	70	3.05%
No	2224	96.95%	2294	100.00%

Frequency Missing = 25

40e. Taken alcohol from your home or a friend's home without permission in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	322	13.95%	322	13.95%
No	1986	86.05%	2308	100.00%

Frequency Missing = 11

40f. Been given alcohol by your parents or a friend's parents in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	367	15.92%	367	15.92%
No	1938	84.08%	2305	100.00%

Frequency Missing = 14

40g. Been given alcohol by an underage friend in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	486	21.09%	486	21.09%
No	1818	78.91%	2304	100.00%

Frequency Missing = 15

40h. Been given alcohol by a legal aged (21+) person in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	567	24.63%	567	24.63%
No	1735	75.37%	2302	100.00%

Frequency Missing = 17

40i. Attended a party where alcohol was available in past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	847	36.73%	847	36.73%
No	1459	63.27%	2306	100.00%

Frequency Missing = 13

67. How much do you think people risk harming themselves (physically or in other ways) if they have one or two alcoholic drinks nearly every day?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	203	8.85%	203	8.85%
Slight risk	495	21.59%	698	30.44%
Moderate risk	889	38.77%	1587	69.21%
Great risk	539	23.51%	2126	92.72%
Can't say/Drug unfamiliar	167	7.28%	2293	100.00%

Frequency Missing = 26

68. How much do you think people risk harming themselves (physically or in other ways) if they have five or more alcoholic drinks once or twice each weekend?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	149	6.51%	149	6.51%
Slight risk	354	15.46%	503	21.97%
Moderate risk	770	33.62%	1273	55.59%
Great risk	843	36.81%	2116	92.40%
Can't say/Drug unfamiliar	174	7.60%	2290	100.00%

Frequency Missing = 26

72. How wrong do your parents feel it would be for you to drink beer, wine, or hard liquor regularly?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very wrong	1481	65.16%	1481	65.16%
Wrong	495	21.78%	1976	86.93%
A little bit wrong	229	10.07%	2205	97.01%
Not wrong at all	68	2.99%	2273	100.00%

Frequency Missing = 46

98b. What percentage (%) of kids in your grade do you think have had some kind of alcoholic beverage in the past 30 days?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0-20%	645	29.47%	645	29.47%
21-40%	496	22.66%	1141	52.12%
41-60%	538	24.58%	1679	76.70%
61-80%	352	16.08%	2031	92.78%
81-100%	158	7.22%	2189	100.00%

Frequency Missing = 130

98a. What percentage (%) of your friends do you think have had some kind of alcoholic beverage in the past 30 days?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0-20%	1460	65.56%	1460	65.56%
21-40%	246	11.05%	1706	76.61%
41-60%	169	7.59%	1875	84.19%
61-80%	213	9.56%	2088	93.76%
81-100%	139	6.24%	2227	100.00%

Frequency Missing = 92

Frequency Tables Marijuana Use

41. If you have ever tried marijuana, how old were you when you tried marijuana for the first time?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	24	1.04%	24	1.04%
9 or 10 years old	31	1.34%	55	2.38%
11 or 12 years old	65	2.81%	120	5.19%
13 or 14 years old	157	6.79%	277	11.98%
15 or 16 years old	182	7.87%	459	19.85%
17 years old or older	54	2.34%	513	22.19%
I have never smoked marijuana	1799	77.81%	2312	100.00%

Frequency Missing = 7

42. During the past 30 days, how many times (if any) did you use marijuana?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	1999	86.50%	1999	86.50%
1 or 2 times	95	4.11%	2094	90.61%
3 to 9 times	71	3.07%	2165	93.68%
10 to 19 times	36	1.56%	2201	95.24%
20 to 39 times	35	1.51%	2236	96.75%
40 or more times	75	3.25%	2311	100.00%

Frequency Missing = 8

43. If you wanted to get some marijuana, how easy would it be for you to get some?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very hard	1184	51.48%	1184	51.48%
Sort of hard	307	13.35%	1491	64.83%
Sort of easy	315	13.70%	1806	78.52%
Very easy	494	21.48%	2300	100.00%

Frequency Missing = 19

69. How much do you think people risk harming themselves (physically or in other ways) if they try marijuana once or twice?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	546	23.87%	546	23.87%
Slight risk	646	28.25%	1192	52.12%
Moderate risk	480	20.99%	1672	73.11%
Great risk	373	16.31%	2045	89.42%
Can't say/Drug unfamiliar	242	10.58%	2287	100.00%

Frequency Missing = 32

70. How much do you think people risk harming themselves (physically or in other ways) if they smoke marijuana regularly?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	210	9.20%	210	9.20%
Slight risk	225	9.86%	435	19.05%
Moderate risk	425	18.62%	860	37.67%
Great risk	1212	53.09%	2072	90.76%
Can't say/Drug unfamiliar	211	9.24%	2283	100.00%

Frequency Missing = 36

99b. What percentage (%) of kids in your grade do you think have used marijuana in the past 30 days?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0-20%	1059	48.53%	1059	48.53%
21-40%	464	21.26%	1523	69.80%
41-60%	320	14.67%	1843	84.46%
61-80%	225	10.31%	2068	94.78%
81-100%	114	5.22%	2182	100.00%

Frequency Missing = 137

99a. What percentage (%) of your friends do you think have used marijuana in the past 30 days?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0-20%	1726	78.21%	1726	78.21%
21-40%	153	6.93%	1879	85.14%
41-60%	103	4.67%	1982	89.81%
61-80%	94	4.26%	2076	94.06%
81-100%	131	5.94%	2207	100.00%

Frequency Missing = 112

74. How wrong do your parents feel it would be for you to smoke marijuana?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very wrong	1906	84.11%	1906	84.11%
Wrong	191	8.43%	2097	92.54%
A little bit wrong	92	4.06%	2189	96.60%
Not wrong at all	77	3.40%	2266	100.00%

Frequency Missing = 53

Frequency Tables Over the Counter Drug Use

44. During the past 30 days, how many times (if any) did you use an over the counter drug only for the experience or feeling that it caused?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	2119	91.73%	2119	91.73%
1 or 2 times	90	3.90%	2209	95.63%
3 to 9 times	53	2.29%	2262	97.92%
10 to 19 times	22	0.95%	2284	98.87%
20 to 39 times	9	0.39%	2293	99.26%
40 or more times	17	0.74%	2310	100.00%

Frequency Missing = 9

45. If you have ever tried an over the counter drug only for the experience or feeling it caused, how old were you when you first took some?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	25	1.08%	25	1.08%
9 or 10 years old	14	0.61%	39	1.69%
11 or 12 years old	32	1.39%	71	3.08%
13 or 14 years old	74	3.21%	145	6.29%
15 or 16 years old	96	4.16%	241	10.45%
17 years old or older	31	1.34%	272	11.80%
I have never taken an over the counter drug only to get high	2034	88.20%	2306	100.00%

Frequency Missing = 13

46a. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you ever taken over the counter drugs from your home?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	215	9.33%	215	9.33%
No	2090	90.67%	2305	100.00%

Frequency Missing = 14

46b. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you taken over the counter drugs from your grandparents in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	51	2.21%	51	2.21%
No	2253	97.79%	2304	100.00%

Frequency Missing = 15

46c. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you taken over the counter drugs from a friend in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	157	6.81%	157	6.81%
No	2148	93.19%	2305	100.00%

Frequency Missing = 14

46d. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you taken over the counter drugs from a friend's home in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	88	3.82%	88	3.82%
No	2216	96.18%	2304	100.00%

Frequency Missing = 15

46e. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you bought over the counter drugs from a friend/peer in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	80	3.47%	80	3.47%
No	2224	96.53%	2304	100.00%

Frequency Missing = 15

46f. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you bought over the counter drugs from a store in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	89	3.86%	89	3.86%
No	2215	96.14%	2304	100.00%

Frequency Missing = 15

46g. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you stolen over the counter drugs from a store in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	33	1.43%	33	1.43%
No	2269	98.57%	2302	100.00%

Frequency Missing = 17

46h. Referring to over the counter drugs taken only for the experience or feeling that they cause, have you attended a party where over the counter drugs were available in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	191	8.30%	191	8.30%
No	2113	91.79%	2304	100.09%

Frequency Missing = 15

47. How much do people risk harming themselves (physically or in other ways) if they use an over the counter drug only for the experience or feeling that it caused?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	160	7.04%	160	7.04%
Slight risk	132	5.81%	292	12.85%
Moderate risk	529	23.28%	821	36.14%
Great risk	921	40.54%	1742	76.67%
Can't say/Drug unfamiliar	530	23.33%	2272	100.00%

Frequency Missing = 47

Frequency Tables Prescription Drug Use

48a. During the past 30 days, have you taken any of the following without a doctor's permission and only for the experience or feeling that they cause: prescription sedative or tranquilizers such as Valium, Xanax, or Restoril?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	71	3.08%	71	3.08%
No	2231	96.92%	2302	100.00%

Frequency Missing = 17

48b. During the past 30 days, taken prescription pain relievers such as Darvocet, Percocet, or Vicodin for the experience or feeling that they cause?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	127	5.52%	127	5.52%
No	2175	94.48%	2302	100.00%

Frequency Missing = 17

48c. During the past 30 days, taken prescription stimulants such as Ritalin, Adderal, or Fastin for the experience or feeling that they cause?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	123	5.35%	123	5.35%
No	2177	94.65%	2300	100.00%

Frequency Missing = 19

48d. During the past 30 days, taken an unknown prescription drug for the experience or feeling that they cause?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	59	2.57%	59	2.57%
No	2240	97.43%	2299	100.00%

Frequency Missing = 20

48. Used prescription drugs only for the experience or feeling it caused one or more times during the past 30 days.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	199	8.64%	199	8.64%
No	2104	91.36%	2303	100.00%

Frequency Missing = 20

49. If you have ever tried prescription drugs that were not prescribed for you or that you took only for the experience or feeling that they cause, how old were you when you first took them?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	22	0.96%	22	0.96%
9 or 10 years old	14	0.61%	36	1.57%
11 or 12 years old	27	1.17%	63	2.74%
13 or 14 years old	54	2.35%	117	5.09%
15 or 16 years old	102	4.44%	219	9.53%
17 years old or older	32	1.39%	251	10.92%
I have never taken an over the counter drug only to get high	2047	89.08%	2298	100.00%

Frequency Missing = 21

51. How much do people risk harming themselves (physically or in other ways) if they take prescription durgs without a doctor's permission and only for the experience or feeling that they cause?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	162	7.15%	162	7.15%
Slight risk	101	4.46%	263	11.60%
Moderate risk	387	17.07%	650	28.67%
Great risk	1141	50.33%	1791	79.00%
Can't say/Drug unfamiliar	476	21.00%	2267	100.00%

Frequency Missing = 52

50a. Referring to prescription drugs not prescribed for you and taken only for the experience or feeling they cause, have you taken prescription drugs from your home in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	155	6.74%	155	6.74%
No	2143	93.26%	2298	100.00%

Frequency Missing = 21

50b. Taken prescription drugs from your grandparents in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	50	2.18%	50	2.18%
No	2248	97.82%	2298	100.00%

Frequency Missing = 21

50c. Taken prescription drugs from a friend in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	154	6.70%	154	6.70%
No	2144	93.30%	2298	100.00%

Frequency Missing = 21

50d. Taken prescription drugs from a friend's home in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	79	3.44%	79	3.44%
No	2218	96.56%	2297	99.96%

Frequency Missing = 22

50e. Bought prescription drugs from a friend/peer in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	106	4.61%	106	4.61%
No	2192	95.39%	2298	100.00%

Frequency Missing = 21

50f. Bought prescription drugs from the internet in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	27	1.18%	27	1.18%
No	2270	98.82%	2297	100.00%

Frequency Missing = 22

50g. Attended a party where prescription drugs were available in the past year?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	170	7.39%	170	7.39%
No	2129	92.61%	2299	100.00%

Frequency Missing = 20

Frequency Tables Other Drug Use

52. If you have ever tried cocaine, how old were you the first time you tried it, in any form including powder, crack or freebase?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	16	0.70%	16	0.70%
9 or 10 years old	11	0.48%	27	1.18%
11 or 12 years old	12	0.52%	39	1.70%
13 or 14 years old	29	1.26%	68	2.96%
15 or 16 years old	27	1.18%	95	4.14%
17 years old or older	18	0.78%	113	4.92%
I have never taken an over the counter drug only to get high	2184	95.08%	2297	100.00%

Frequency Missing = 22

53. During the past 30 days, on how many occasions (if any) did you use any form of cocaine, including powder, crack, or freebase?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 occasions	2239	97.09%	2239	97.09%
1 or 2 occasions	26	1.13%	2265	98.22%
3 to 9 occasions	11	0.48%	2276	98.70%
10 to 19 occasions	5	0.22%	2281	98.92%
20 to 39 occasions	5	0.22%	2286	99.13%
40 or more occasions	20	0.87%	2306	100.00%

Frequency Missing = 13

54. If you have ever used inhalants for kicks or to get high, how old were you the first time you tried an inhalant?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	28	1.21%	28	1.21%
9 or 10 years old	22	0.95%	50	2.17%
11 or 12 years old	58	2.52%	108	4.69%
13 or 14 years old	72	3.12%	180	7.81%
15 or 16 years old	49	2.13%	229	9.93%
17 years old or older	14	0.61%	243	10.54%
I have never tried inhalants	2062	89.46%	2305	100.00%

Frequency Missing = 14

55. On how many occasions during the last 30 days (if any) have you used inhalants in order to get high?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 occasions	2198	95.32%	2198	95.32%
1 or 2 occasions	57	2.47%	2255	97.79%
3 to 5 occasions	12	0.52%	69	2.99%
6 to 9 occasions	9	0.39%	2276	98.70%
10 to 19 occasions	8	0.35%	2284	99.05%
20 to 39 occasions	3	0.13%	2287	99.18%
40 or more occasions	19	0.82%	2306	100.00%

Frequency Missing = 13

56. If you have ever tried heroin, how old were you the first time you tried heroin?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	17	0.74%	17	0.74%
9 or 10 years old	4	0.17%	21	0.91%
11 or 12 years old	10	0.43%	31	1.34%
13 or 14 years old	3	0.13%	34	1.47%
15 or 16 years old	11	0.48%	45	1.95%
17 years old or older	2	0.09%	47	2.04%
I have never tried heroin	2261	97.96%	2308	100.00%

Frequency Missing = 11

57. If you have ever tried methamphetamines, how old were you when you first tried methamphetamines)?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	14	0.61%	14	0.61%
9 or 10 years old	5	0.22%	19	0.83%
11 or 12 years old	10	0.43%	29	1.26%
13 or 14 years old	10	0.43%	39	1.69%
15 or 16 years old	10	0.43%	49	2.13%
17 years old or older	6	0.26%	55	2.39%
I have never tried methamphetamines	2248	97.61%	2303	100.00%

Frequency Missing = 16

58. On how many occasions during the last 30 days (if any) have you used methamphetamines?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 occasions	2262	98.13%	2262	98.13%
1 or 2 occasions	14	0.61%	2276	98.74%
3 to 5 occasions	7	0.30%	21	0.91%
6 to 9 occasions	2	0.09%	2285	99.13%
10 to 19 occasions	1	0.04%	2286	99.18%
20 to 39 occasions	3	0.13%	2289	99.31%
40 or more occasions	16	0.69%	2305	100.00%

Frequency Missing = 14

59. If you have ever tried ecstasy, how old were you when you first used ecstasy?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	14	0.61%	14	0.61%
9 or 10 years old	5	0.22%	19	0.82%
11 or 12 years old	5	0.22%	24	1.04%
13 or 14 years old	15	0.65%	39	1.69%
15 or 16 years old	34	1.47%	73	3.16%
17 years old or older	18	0.78%	91	3.94%
I have never tried ecstasy	2216	96.06%	2307	100.00%

Frequency Missing = 12

60. If you have ever taken steroids, how old were you when you first took steroid pills or shots without a doctor's prescription?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	14	0.61%	14	0.61%
9 or 10 years old	3	0.13%	17	0.74%
11 or 12 years old	4	0.17%	21	0.91%
13 or 14 years old	7	0.30%	28	1.22%
15 or 16 years old	5	0.22%	33	1.43%
17 years old or older	4	0.17%	37	1.61%
I have never taken steroids that were not prescribed for me	2264	98.39%	2301	100.00%

Frequency Missing = 18

61. During life, times (if any) used a needle to inject any illegal drug into body.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 times	2261	98.30%	2261	98.30%
1 time	14	0.61%	2275	98.91%
2 or more times	25	1.09%	2300	100.00%

Frequency Missing = 19

62. If you have ever used hallucinogens, how old were you the first time you used hallucinogens?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 years old or younger	13	0.56%	13	0.56%
9 or 10 years old	1	0.04%	14	0.61%
11 or 12 years old	10	0.43%	24	1.04%
13 or 14 years old	28	1.22%	52	2.26%
15 or 16 years old	53	2.30%	105	4.56%
17 years old or older	26	1.13%	131	5.69%
I have never taken steroids that were not prescribed for me	2173	94.44%	2304	100.13%

Frequency Missing = 15

63. On how many occasions in the last 30 days (if any) have you taken a hallucinogen?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0 occasions	2235	97.01%	2235	97.01%
1 or 2 occasions	34	1.48%	2269	98.48%
3 to 5 occasions	9	0.39%	43	1.87%
6 to 9 occasions	7	0.30%	2285	99.18%
10 to 19 occasions	3	0.13%	2288	99.31%
20 to 39 occasions	2	0.09%	2290	99.39%
40 or more occasions	14	0.61%	2304	100.00%

Frequency Missing = 15

64. During the past 12 months, has anyone offered, sold, or given you an illegal drug?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	547	23.79%	547	23.79%
No	1752	76.21%	2299	100.00%

Frequency Missing = 20

65. if you wanted to get a drug like cocaine, LSD, heroin or methamphetamine, how easy would it be for you to get some?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very hard	1541	67.12%	1541	67.12%
Sort of hard	404	17.60%	1945	84.71%
Sort of easy	233	10.15%	2178	94.86%
Very easy	118	5.14%	2296	100.00%

Frequency Missing = 23

71. How much do you think people risk harming themselves (physically or in other ways) if they take cocaine occasionally?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No risk	106	4.64%	106	4.64%
Slight risk	132	5.77%	238	10.41%
Moderate risk	534	23.36%	772	33.77%
Great risk	1233	53.94%	2005	87.71%
Can't say/Drug unfamiliar	281	12.29%	2286	100.00%

Frequency Missing = 33

100. It is clear to my friends that I am committed to living a drug-free life.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Strongly Agree	1277	56.68%	1277	56.68%
Agree	586	26.01%	1863	82.69%
Disagree	257	11.41%	2120	94.10%
Strongly Disagree	133	5.90%	2253	100.00%

Frequency Missing = 66

Frequency Tables Physical Activity

75. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7 days	534	23.50%	534	23.50%
6 days	261	11.49%	795	34.99%
5 days	359	15.80%	1154	50.79%
4 days	261	11.49%	1415	62.28%
3 days	249	10.96%	1664	73.24%
2 days	182	8.01%	1846	81.25%
1 day	142	6.25%	1988	87.50%
0 days	284	12.50%	2272	100.00%

Frequency Missing = 66

Frequency Tables Body Weight

76. How do you describe your weight?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very overweight	57	2.51%	57	2.51%
Slightly overweight	503	22.18%	560	24.69%
About the right weight	1344	59.26%	1904	83.95%
Slightly underweight	315	13.89%	2219	97.84%
Very underweight	49	2.16%	2268	100.00%

Frequency Missing = 51

77. Which of the following are you trying to do about your weight?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I am not trying to do anything about my weight	703	31.00%	703	31.00%
Lose weight	832	36.68%	1535	67.68%
Gain weight	289	12.74%	1824	80.42%
Stay the same weight	444	19.58%	2268	100.00%

Frequency Missing = 51

78a. Exercised during the past 30 days to lose weight or to keep from gaining weight.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	963	41.53%	963	41.53%
No	364	15.70%	1327	57.22%
Not trying to lose weight or keep from gaining weight	992	42.78%	2319	100.00%

Frequency Missing = 0

78b. Ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	630	27.17%	630	27.17%
No	697	30.06%	1327	57.22%
Not trying to lose weight or keep from gaining weight	992	42.78%	2319	100.00%

Frequency Missing = 0

78c. Went without eating for 24+ hours to lose weight or keep from gaining weight in the past 30 days.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	57	2.46%	57	2.46%
No	1270	54.76%	1327	57.22%
Not trying to lose weight or keep from gaining weight	992	42.78%	2319	100.00%

Frequency Missing = 0

78d. Took diet pills, powders, or liquids without the advice of a doctor to lose weight or keep from gaining weight in the past 30 days.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	25	1.08%	25	1.08%
No	1302	56.14%	1327	57.22%
Not trying to lose weight or keep from gaining weight	992	42.78%	2319	100.00%

Frequency Missing = 0

78e. Vomited or took laxatives to lose weight or keep from gaining weight in the past 30 days.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	31	1.34%	31	1.34%
No	1296	55.89%	1327	57.22%
Not trying to lose weight or keep from gaining weight	992	42.78%	2319	100.00%

Frequency Missing = 0

79. If you exercise regularly, do you worry that you will gain weight if you skip exercising for one day?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	257	11.31%	257	11.31%
No	1508	66.37%	1765	77.68%
I do not exercise regularly	507	22.32%	2272	100.00%

Frequency Missing = 47

Frequency Tables Nutrition

80. On an average day, how many cups of fruit do you eat?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6 or more cups	78	3.42%	78	3.42%
5 cups	71	3.11%	149	6.52%
4 cups	182	7.97%	331	14.49%
3 cups	463	20.27%	794	34.76%
2 cups	621	27.19%	1415	61.95%
1 cup	614	26.88%	2029	88.84%
I do not usually eat fruit	255	11.16%	2284	100.00%

Frequency Missing = 35

81. On an average day, how many cups of vegetables do you eat?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6 or more cups	56	2.45%	56	2.45%
5 cups	68	2.98%	124	5.43%
4 cups	139	6.09%	263	11.52%
3 cups	290	12.70%	553	24.22%
2 cups	534	23.39%	1087	47.61%
1 cup	816	35.74%	1903	83.36%
I do not usually eat fruit	380	16.64%	2283	100.00%

Frequency Missing = 36

82. On an average day, how many servings of pop/soda do you drink?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	69	3.03%	69	3.03%
5	43	1.89%	112	4.91%
4	48	2.11%	160	7.02%
3	131	5.75%	291	12.77%
2	299	13.12%	590	25.89%
1	867	38.04%	1457	63.93%
I do not drink pop/soda	822	36.07%	2279	100.00%

Frequency Missing = 40

83. On an average day, how many times do you eat candy as a snack or meal?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	43	1.89%	43	1.89%
5	31	1.36%	74	3.26%
4	28	1.23%	102	4.49%
3	107	4.71%	209	9.19%
2	281	12.36%	490	21.56%
1	766	33.70%	1256	55.26%
I do not usually eat candy	1017	44.74%	2273	100.00%

Frequency Missing = 46

84. During the past 7 days, how many times did you eat fast food?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I did not eat fast food during the past 7 days	781	34.24%	781	34.24%
1 to 3 times	1316	57.69%	2097	91.93%
4 to 6 times	95	4.16%	2192	96.10%
1 time per day	33	1.45%	2225	97.54%
2 times per day	22	0.96%	2247	98.51%
3 times per day	8	0.35%	2255	98.86%
4 or more times per day	26	1.14%	2281	100.00%

Frequency Missing = 38

85. On an average day, how many servings of dairy do you eat?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I do not usually eat/drink dairy	127	5.58%	127	5.58%
1 serving	331	14.54%	458	20.12%
2 servings	593	26.05%	1051	46.18%
3 servings	557	24.47%	1608	70.65%
4 servings	374	16.43%	1982	87.08%
5 servings	127	5.58%	2109	92.66%
6 servings or more	167	7.34%	2276	100.00%

Frequency Missing = 43

Frequency Tables Asthma and Diabetes

86. During the past 12 months, have you had an episode of asthma or an asthma attack?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I do not have asthma	1884	82.67%	1884	82.67%
No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months	194	8.51%	2078	91.18%
Yes, I have had an episode of asthma or an asthma attack during the past 12 months	142	6.23%	2220	97.41%
Not sure	59	2.59%	2279	100.00%

Frequency Missing = 43

87. Have you been diagnosed with any form of diabetes?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No, I have not been diagnosed with any form of diabetes	2106	94.14%	2106	94.14%
No, but I have been told I have pre-diabetes/ metabolic syndrome	22	0.98%	2128	95.13%
Yes, I have been diagnosed with Type I diabetes (take insulin)	13	0.58%	2141	95.71%
Yes, I have been diagnosed with Type II diabetes	8	0.36%	2149	96.07%
Not sure	88	3.93%	2237	100.00%

Frequency Missing = 82

Frequency Tables School Experience

88. During the past 12 months, how would you describe your grades in school?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Mostly A's	1108	49.53%	1108	49.53%
Mostly B's	755	33.75%	1863	83.28%
Mostly C's	262	11.71%	2125	94.99%
Mostly D's	47	2.10%	2172	97.09%
Mostly F's	21	0.94%	2193	98.03%
Not Sure	53	2.37%	2246	100.40%

Frequency Missing = 73

89. How often do you feel that the school work you are assigned is meaningful and important?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Almost always	390	17.18%	390	17.18%
Often	676	29.78%	1066	46.96%
Sometimes	778	34.27%	1844	81.23%
Seldom	301	13.26%	2145	94.49%
Never	125	5.51%	2270	100.00%

Frequency Missing = 49

90. How interesting are most of your courses to you?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very interesting and stimulating	165	7.27%	165	7.27%
Quite interesting	648	28.53%	813	35.80%
Fairly interesting	911	40.11%	1724	75.91%
Slightly dull	387	17.04%	2111	92.95%
Very dull	160	7.05%	2271	100.00%

Frequency Missing = 48

91. How important do you think the things you are learning in school are going to be for your later life?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very important	602	26.54%	602	26.54%
Quite important	679	29.94%	1281	56.48%
Fairly important	591	26.06%	1872	82.54%
Slightly important	305	13.45%	2177	95.99%
Not at all important	91	4.01%	2268	100.00%

Frequency Missing = 51

92. How often do you enjoy being in school?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Almost always	332	14.61%	332	14.61%
Often	678	29.83%	1010	44.43%
Sometimes	805	35.42%	1815	79.85%
Seldom	292	12.85%	2107	92.70%
Never	166	7.30%	2273	100.00%

Frequency Missing = 46

93. How often do you hate being in school?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Almost always	246	10.84%	246	10.84%
Often	451	19.88%	697	30.72%
Sometimes	761	33.54%	1458	64.26%
Seldom	678	29.88%	2136	94.14%
Never	133	5.86%	2269	100.00%

Frequency Missing = 50

94. How often do you try to do your best in school?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Almost always	1061	46.82%	1061	46.82%
Often	749	33.05%	1810	79.88%
Sometimes	323	14.25%	2133	94.13%
Seldom	97	4.28%	2230	98.41%
Never	36	1.59%	2266	100.00%

Frequency Missing = 53

95. In the last four weeks, how many whole days of school have you missed because of illness?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
None	1215	53.41%	1215	53.41%
1	394	17.32%	1609	70.73%
2	232	10.20%	1841	80.92%
3	176	7.74%	2017	88.66%
4 - 5	175	7.69%	2192	96.35%
6 - 10	61	2.68%	2253	99.03%
11 or more	22	0.97%	2275	100.00%

Frequency Missing = 44

96. In the last four weeks, how many whole days of school have you missed because you skipped or cut?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
None	1905	83.66%	1905	83.66%
1	176	7.73%	2081	91.39%
2	64	2.81%	2145	94.20%
3	39	1.71%	2184	95.92%
4 - 5	45	1.98%	2229	97.89%
6 - 10	22	0.97%	2251	98.86%
11 or more	26	1.14%	2277	100.00%

Frequency Missing = 42

97. In the last four weeks, how many whole days of school have you missed for other reasons?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
None	1465	64.54%	1465	64.54%
1	404	17.80%	1869	82.33%
2	173	7.62%	2042	89.96%
3	114	5.02%	2156	94.98%
4 - 5	61	2.69%	2217	97.67%
6 - 10	25	1.10%	2242	98.77%
11 or more	28	1.23%	2270	100.00%

Frequency Missing = 49

Frequency Tables Family Experience

101b. During the past 12 months, have you been physically harmed on purpose in your home by a parent?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	92	4.05%	92	4.05%
No	2148	94.63%	2240	98.68%

Frequency Missing = 79

101c. During the past 12 months, have you been physically harmed on purpose in your home by an other adult				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	34	1.52%	34	1.52%
No	2206	98.48%	2240	100.00%

Frequency Missing = 79

102. People in my family often insult or yell at each other.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	752	33.44%	752	33.44%
no	873	38.82%	1625	72.25%
yes	445	19.79%	2070	92.04%
YES!	179	7.96%	2249	100.00%

Frequency Missing = 70

103. We argue about the same things in my family over and over again.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	561	24.77%	561	24.77%
no	885	39.07%	1446	63.84%
yes	605	26.71%	2051	90.55%
YES!	214	9.45%	2265	100.00%

Frequency Missing = 54

104. People in my family have serious arguments.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	828	36.83%	828	36.83%
no	842	37.46%	1670	74.29%
yes	437	19.44%	2107	93.73%
YES!	141	6.27%	2248	100.00%

Frequency Missing = 71

105. My parents ask if I've gotten my homework done.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	131	5.79%	131	5.79%
no	326	14.41%	457	20.20%
yes	898	39.70%	1355	59.90%
YES!	907	40.10%	2262	100.00%

Frequency Missing = 57

106. My parents want me to call if I'm going to be late getting home.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	79	3.49%	79	3.49%
no	167	7.37%	246	10.86%
yes	706	31.16%	952	42.01%
YES!	1314	57.99%	2266	100.00%

Frequency Missing = 53

107. When I am not at home, one of my parents knows where I am and who I am with.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	72	3.18%	72	3.18%
no	205	9.05%	277	12.23%
yes	883	38.98%	1160	51.21%
YES!	1105	48.79%	2265	100.00%

Frequency Missing = 54

108. The rules in my family are clear				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	65	2.87%	65	2.87%
no	212	9.36%	277	12.23%
yes	1007	44.46%	1284	56.69%
YES!	981	43.31%	2265	100.00%

Frequency Missing = 54

109. My family has clear rules about alcohol and drug abuse.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	68	3.00%	68	3.00%
no	219	9.68%	287	12.68%
yes	587	25.94%	874	38.62%
YES!	1389	61.38%	2263	100.00%

Frequency Missing = 56

110. Would your parents know if you did not come home on time?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	83	3.67%	83	3.67%
no	289	12.77%	372	16.43%
yes	823	36.35%	1195	52.78%
YES!	1069	47.22%	2264	100.00%

Frequency Missing = 55

111. My parents give me a lot of chances to do fun things with them.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	139	6.16%	139	6.16%
no	412	18.25%	551	24.41%
yes	1038	45.99%	1589	70.40%
YES!	668	29.60%	2257	100.00%

Frequency Missing = 62

112. My parents ask me what I think before most family decisions affecting me are made.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	219	9.77%	219	9.77%
no	535	23.87%	754	33.65%
yes	1025	45.74%	1779	79.38%
YES!	462	20.62%	2241	100.00%

Frequency Missing = 78

113. If I had a personal problem, I could ask my mom or dad for help.				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	167	7.43%	167	7.43%
no	328	14.59%	495	22.02%
yes	940	41.81%	1435	63.83%
YES!	813	36.17%	2248	100.00%

Frequency Missing = 71

Frequency Tables Community Experience

114. I feel safe in my neighborhood				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	51	2.26%	51	2.26%
no	95	4.21%	146	6.47%
yes	852	37.78%	998	44.26%
YES!	1257	55.74%	2255	100.00%

Frequency Missing = 64

115. Crime and/or drug selling				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	1367	60.86%	1367	60.86%
no	606	26.98%	1973	87.85%
yes	206	9.17%	2179	97.02%
YES!	67	2.98%	2246	100.00%

Frequency Missing = 73

116. Fights				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	1316	58.31%	1316	58.31%
no	690	30.57%	2006	88.88%
yes	184	8.15%	2190	97.03%
YES!	67	2.97%	2257	100.00%

Frequency Missing = 62

117. Lots of empty or abandoned buildings				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	1472	65.25%	1472	65.25%
no	664	29.43%	2136	94.68%
yes	96	4.26%	2232	98.94%
YES!	24	1.06%	2256	100.00%

Frequency Missing = 63

118. Lots of graffiti				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
NO!	1631	72.52%	1631	72.52%
no	531	23.61%	2162	96.13%
yes	55	2.45%	2217	98.58%
YES!	32	1.42%	2249	100.00%

Frequency Missing = 70

119a. Participated in a volunteer opportunity in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1223	54.38%	1223	54.38%
No	1026	45.62%	2249	100.00%

Frequency Missing = 70

119b. School or community club in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	735	32.68%	735	32.68%
No	1514	67.32%	2249	100.00%

Frequency Missing = 70

119c. Team sports in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1222	54.34%	1222	54.34%
No	1027	45.66%	2249	100.00%

Frequency Missing = 70

119d. Non-team sport in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	543	24.14%	543	24.14%
No	1706	75.86%	2249	100.00%

Frequency Missing = 70

119e. Art/music/theater/dance in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	837	37.22%	837	37.22%
No	1412	62.78%	2249	100.00%

Frequency Missing = 70

119f. Part-time job in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	742	32.99%	742	32.99%
No	1507	67.01%	2249	100.00%

Frequency Missing = 70

119g. Church group in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1073	47.71%	1073	47.71%
No	1176	52.29%	2249	100.00%

Frequency Missing = 70

119h. Leadership activities in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	396	17.61%	396	17.61%
No	1853	82.39%	2249	100.00%

Frequency Missing = 70

119i. Participated in now community activity in the past 12 months				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	227	10.09%	227	10.09%
No	2022	89.91%	2249	100.00%

Frequency Missing = 70

Frequency Tables Sexual Behavior

120 If you've ever had sexual intercourse, how old were you when you had sexual intercourse for the first time (vaginal)?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11 years old or younger	39	3.51%	39	3.51%
12 - 13 years old	38	3.42%	77	6.93%
14 - 15 years old	136	12.24%	213	19.17%
16 - 17 years old	125	11.25%	338	30.42%
18 years old	5	0.45%	343	30.87%
I have never had sexual intercourse	768	69.13%	1111	100.00%

Frequency Missing = 1208

121. If you have ever had oral sex, how old were you the first time you had oral sex?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11 years old or younger	39	3.48%	39	3.48%
12 - 13 years old	53	4.72%	92	8.20%
14 - 15 years old	159	14.17%	251	22.37%
16 - 17 years old	136	12.12%	387	34.49%
18 years old	8	0.71%	395	35.20%
I have never had oral sex	727	64.80%	1122	100.00%

Frequency Missing = 1197

122. If you have ever had sex, with how many people (if any) have you had sex?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I have never had sex	753	68.70%	753	68.70%
1 person	141	12.86%	894	81.57%
2 people	51	4.65%	945	86.22%
3 people	41	3.74%	986	89.96%
4 people	32	2.92%	1018	92.88%
5 people	20	1.82%	1038	94.71%
6 or more people	58	5.29%	1096	100.00%

Frequency Missing = 1223

123. If you have had sex in the past 3 months, with how many people (if any) did you have sex?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I have never had sex	762	67.31%	762	67.31%
I have had sex, but not during the past 3 months	103	9.10%	865	76.41%
1 person	195	17.23%	1060	93.64%
2 people	36	3.18%	1096	96.82%
3 people	13	1.15%	1109	97.97%
4 people	1	0.09%	1110	98.06%
5 people	1	0.09%	1111	98.14%
6 or more people	21	1.86%	1132	100.00%

Frequency Missing = 1187

124. If you have ever had sex, did you drink alcohol or use drugs before you had sex the last time?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I have never had sex	759	67.29%	759	67.29%
Yes	97	8.60%	856	75.89%
No	272	24.11%	1128	100.00%

Frequency Missing = 1191

125. If you have had sex, did you and your partner use a condom the last time?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I have never had sex	767	67.94%	767	67.94%
Yes	214	18.95%	981	86.89%
No	148	13.11%	1129	100.00%

Frequency Missing = 1190

126. The last time you had sexual intercourse, what one method (if any) did you or your partner use to prevent pregnancy?				
	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I have never had sex	765	71.36%	765	71.36%
No method was used to prevent pregnancy	47	4.38%	812	75.75%
Birth control pills	54	5.04%	866	80.78%
Condoms	144	13.43%	1010	94.22%
Depo-Provera	13	1.21%	1023	95.43%
Withdrawal	28	2.61%	1051	98.04%
Some other method	8	0.75%	1059	98.79%
Not sure	13	1.21%	1072	100.00%

Frequency Missing = 1247